

SKIP RAMPS M055P-M065P														Cat. pg.12	
				• WITH EDGES				• NO ACCESSORIES							
ARTICLE WITH EDGES	ARTICLE WITHOUT EDGES	MODEL	PRICE PER PIECE- NET	DESCRIPTION	HEIGHT OF RAISED EDGE mm	HEIGHT OF RAMP PROFILE mm		INTERNAL WIDTH mm	EXTERNAL WIDTH mm	LENGTH mm	WEIGHT/ UNIT kg	CAPACITY UNIT kg			
MM451B0.56.30		M055P/30	€ 283,00	SKIP RAMP 055X560X3000	28,5	55		500	560	3000	17	300			
MM451B0.56.40		M055P/40	€ 351,00	SKIP RAMP 055X560X4000	28,5	55		500	560	4000	22	300			
MM451B0.56.50		M065P/50	€ 436,00	SKIP RAMP 065X560X5000	28,5	65		500	560	5000	30	300			
MM451B0.56.57		M065P/57	€ 499,00	SKIP RAMP 065X560X5700	28,5	65		500	560	5700	34	300			



EVENT & REMOVAL RAMPS MPC														Cat. pg.13	
				• WITH OR WITHOUT EDGES • STANDARD HEAD: L • HEAD TYPES ON REQUEST: - L350 - G with hook - A with support - T with tube				• STANDARD ANCHORING SYSTEMS: ALUMINIUM TAB • ANCHORING SYSTEMS ON REQUEST: STEEL PIN • HANDLING SYSTEMS ON REQUEST: NYLON HANDLES							
ARTICLE WITH EDGES	ARTICLE WITHOUT EDGES	MODEL	PRICE PER PIECE- NET	DESCRIPTION	HEIGHT OF RAISED EDGE mm	HEIGHT OF RAMP PROFILE mm	OVERALL SIDE H. WITH RAISED EDGES mm	INTERNAL WIDTH mm	EXTERNAL WIDTH mm	LENGTH mm	WEIGHT/ UNIT kg	CAPACITY UNIT kg			
												WHEELBASE 1000 mm			
MM402BL.07.18	MM402SL.07.18	MPC1800.750.1000 (S)	€ 304,00	EVENT & REMOVAL RAMP 065X750X1791	29	65	83	690	750	1791	21	1000			
MM402BL.07.20	MM402SL.07.20	MPC2000.750.1000 (S)	€ 362,00	EVENT & REMOVAL RAMP 065X750X1991	29	65	83	690	750	1991	24	1000			
MM402BL.07.24	MM402SL.07.24	MPC2400.750.1000 (S)	€ 389,00	EVENT & REMOVAL RAMP 085X750X2391	29	85	91	690	750	2391	29	1000			
MM402BL.07.26	MM402SL.07.26	MPC2600.750.1000 (S)	€ 447,00	EVENT & REMOVAL RAMP 085X750X2591	29	85	91	690	750	2591	32	1000			
MM402BL.07.30	MM402SL.07.30	MPC3000.750.1000 (S)	€ 474,00	EVENT & REMOVAL RAMP 100X750X2991	29	100	100	690	750	2991	37	1000			
MM402BL.07.36	MM402SL.07.36	MPC3600.750.1000 (S)	€ 559,00	EVENT & REMOVAL RAMP 115X750X3591	29	115	115	690	750	3591	45	1000			
MM402BL.10.18	MM402SL.10.18	MPC1800.1000.1000 (S)	€ 378,00	EVENT & REMOVAL RAMP 065X1000X1791	29	65	83	940	1000	1791	27	1000			
MM402BL.10.20	MM402SL.10.20	MPC2000.1000.1000 (S)	€ 395,00	EVENT & REMOVAL RAMP 065X1000X1991	29	65	83	940	1000	1991	30	1000			
MM402BL.10.24	MM402SL.10.24	MPC2400.1000.1000 (S)	€ 433,00	EVENT & REMOVAL RAMP 085X1000X2391	29	85	91	940	1000	2391	37	1000			
MM402BL.10.26	MM402SL.10.26	MPC2600.1000.1000 (S)	€ 491,00	EVENT & REMOVAL RAMP 085X1000X2591	29	85	91	940	1000	2591	40	1000			
MM402BL.10.30	MM402SL.10.30	MPC3000.1000.1000 (S)	€ 524,00	EVENT & REMOVAL RAMP 100X1000X2991	29	100	100	940	1000	2991	46	1000			
MM402BL.10.36	MM402SL.10.36	MPC3600.1000.1000 (S)	€ 619,00	EVENT & REMOVAL RAMP 115X1000X3591	29	115	115	940	1000	3591	56	1000			
MM402BL.10.40	MM402SL.10.40	MPC4000.1000.1000 (S)	€ 674,00	EVENT & REMOVAL RAMP 125X1000X3991	30	125	125	940	1000	3991	66	1000			
MM402BL.10.44	MM402SL.10.44	MPC4400.1000.1000 (S)	€ 707,00	EVENT & REMOVAL RAMP 125X1000X4391	30	125	125	940	1000	4391	72	1000			
MM402BL.10.50	MM402SL.10.50	MPC5000.1000.1000 (S)	€ 819,00	EVENT & REMOVAL RAMP 140X1000X4991	30	140	140	940	1000	4991	85	1000			



HINGED EVENT & REMOVAL RAMPS**MPCI**

- WITH OR WITHOUT EDGES
- STANDARD HEAD: L
- HEAD TYPES ON REQUEST:
- G with hook · A with support · T with tube

- STANDARD ANCHORING SYSTEMS: ALUMINIUM TAB
- ANCHORING SYSTEMS ON REQUEST: STEEL PIN
- HANDLING SYSTEMS ON REQUEST: NYLON HANDLES

Cat. pg.14



ARTICLE WITH EDGES	ARTICLE WITHOUT EDGES	MODEL	PRICE PER PIECE- NET	DESCRIPTION	HEIGHT OF RAISED EDGE mm	HEIGHT OF RAMP PROFILE mm	OVERALL SIDE H. WITH RAISED EDGES mm	INTERNAL WIDTH mm	EXTERNAL WIDTH mm	LENGTH mm	WEIGHT/ UNIT kg	CAPACITY UNIT kg	WIDTH WITH HANDLES mm	FOLDED RAMP DIMENSION mm	FOLDED RAMP LENGHT mm
												WHEELBASE 1000 mm			
MM403BL.07.18	MM403SL.07.18	MPCI1800.750.1000 (S)	€ 524,00	HINGED EVENT & REMOVAL RAMP 085X750X1812	29	85	116	690	750	1812	31	1000	797	207	986
MM403BL.07.20	MM403SL.07.20	MPCI2000.750.1000 (S)	€ 589,00	HINGED EVENT & REMOVAL RAMP 085X750X2012	29	85	116	690	750	2012	33	1000	797	207	1051
MM403BL.07.24	MM403SL.07.24	MPCI2400.750.1000 (S)	€ 644,00	HINGED EVENT & REMOVAL RAMP 085X750X2412	29	85	116	690	750	2412	38	800	797	207	1251
MM403BL.07.26	MM403SL.07.26	MPCI2600.750.1000 (S)	€ 696,00	HINGED EVENT & REMOVAL RAMP 085X750X2612	29	85	116	690	750	2612	40	700	797	207	1386
MM403BL.07.30	MM403SL.07.30	MPCI3000.750.1000 (S)	€ 765,00	HINGED EVENT & REMOVAL RAMP 100X750X3012	29	100	131	690	750	3012	45	500	797	237	1586
MM403BL.07.36	MM403SL.07.36	MPCI3600.750.1000 (S)	€ 941,00	HINGED EVENT & REMOVAL RAMP 115X750X3612	29	115	146	690	750	3612	53	450	797	267	1851
MM403BL.07.40	MM403SL.07.40	MPCI4000.750.1000 (S)	€ 1.018,00	HINGED EVENT & REMOVAL RAMP 125X750X4012	30	125	156	690	750	4012	62	400	797	287	2051
MM403BL.07.44	MM403SL.07.44	MPCI4400.750.1000 (S)	€ 1.093,00	HINGED EVENT & REMOVAL RAMP 125X750X4412	30	125	156	690	750	4412	67	350	797	287	2251
MM403BL.10.18	MM403SL.10.18	MPCI1800.1000.1000 (S)	€ 608,00	HINGED EVENT & REMOVAL RAMP 085X1000X1812	29	85	116	940	1000	1812	39	1000	1047	207	986
MM403BL.10.20	MM403SL.10.20	MPCI2000.1000.1000 (S)	€ 666,00	HINGED EVENT & REMOVAL RAMP 085X1000X2012	29	85	116	940	1000	2012	42	1000	1047	207	1051
MM403BL.10.24	MM403SL.10.24	MPCI2400.1000.1000 (S)	€ 740,00	HINGED EVENT & REMOVAL RAMP 085X1000X2412	29	85	116	940	1000	2412	48	800	1047	207	1251
MM403BL.10.26	MM403SL.10.26	MPCI2600.1000.1000 (S)	€ 833,00	HINGED EVENT & REMOVAL RAMP 085X1000X2612	29	85	116	940	1000	2612	50	700	1047	207	1386
MM403BL.10.30	MM403SL.10.30	MPCI3000.1000.1000 (S)	€ 885,00	HINGED EVENT & REMOVAL RAMP 100X1000X3012	29	100	131	940	1000	3012	57	500	1047	237	1586
MM403BL.10.36	MM403SL.10.36	MPCI3600.1000.1000 (S)	€ 1.054,00	HINGED EVENT & REMOVAL RAMP 115X1000X3612	29	115	146	940	1000	3612	66	450	1047	267	1851
MM403BL.10.40	MM403SL.10.40	MPCI4000.1000.1000 (S)	€ 1.153,00	HINGED EVENT & REMOVAL RAMP 125X1000X4012	30	125	156	940	1000	4012	76	400	1047	287	2051
MM403BL.10.44	MM403SL.10.44	MPCI4400.1000.1000 (S)	€ 1.237,00	HINGED EVENT & REMOVAL RAMP 125X1000X4412	30	125	156	940	1000	4412	83	350	1047	287	2251

EVENT & REMOVAL RAMPS MPCP

- WITH OR WITHOUT EDGES
- STANDARD HEAD: L
- HEAD TYPES ON REQUEST:
- L350 · G with hook · A with support · T with tube

- STANDARD ANCHORING SYSTEMS: ALUMINIUM TAB
- ANCHORING SYSTEMS ON REQUEST: STEEL PIN
- HANDLING SYSTEMS ON REQUEST: NYLON HANDLES

Cat. pg.15



ARTICLE WITH EDGES	ARTICLE WITHOUT EDGES	MODEL	PRICE PER PIECE- NET	DESCRIPTION	HEIGHT OF RAISED EDGE mm	HEIGHT OF RAMP PROFILE mm	INTERNAL WIDTH mm	EXTERNAL WIDTH mm	LENGTH mm	WEIGHT/ UNIT kg	CAPACITY UNIT kg	WIDTH WITH HANDLES mm	FOLDED RAMP DIMENSION mm	FOLDED RAMP LENGHT mm
											WHEELBASE 1000 mm			
MM411BL.10.18	MM411SL.10.18	MPCP1800.1000.2000 (S)	€ 499,00	EVENT & REMOVAL RAMP 115X1000X1791	29	115		940	1000	1791	34	2000		
MM411BL.10.20	MM411SL.10.20	MPCP2000.1000.2000 (S)	€ 521,00	EVENT & REMOVAL RAMP 115X1000X1991	29	115		940	1000	1991	38	2000		
MM411BL.10.24	MM411SL.10.24	MPCP2400.1000.2000 (S)	€ 570,00	EVENT & REMOVAL RAMP 125X1000X2391	30	125		940	1000	2391	47	2000		
MM411BL.10.26	MM411SL.10.26	MPCP2600.1000.2000 (S)	€ 633,00	EVENT & REMOVAL RAMP 125X1000X2591	30	125		940	1000	2591	51	2000		
MM411BL.10.30	MM411SL.10.30	MPCP3000.1000.2000 (S)	€ 682,00	EVENT & REMOVAL RAMP 140X1000X2991	31	140		940	1000	2991	60	2000		
MM411BL.10.36	MM411SL.10.36	MPCP3600.1000.2000 (S)	€ 800,00	EVENT & REMOVAL RAMP 150X1000X3591	42	150		940	1000	3591	77	2000		
MM411BL.10.40	MM411SL.10.40	MPCP4000.1000.2000 (S)	€ 907,00	EVENT & REMOVAL RAMP 160X1000X3991	43	160		940	1000	3991	89	2000		
MM411BL.10.44	MM411SL.10.44	MPCP4400.1000.2000 (S)	€ 1.186,00	EVENT & REMOVAL RAMP 170X1000X4391	43	170		940	1000	4391	101	2000		

LOADING RAMPS MPCL

- WITH OR WITHOUT EDGES
- WITH ONLY ONE RAISED EDGE
- STANDARD HEAD: L
- HEAD TYPES ON REQUEST:

- G with hook - A with support - T with tube

- ANCHORING SYSTEMS ON REQUEST: ALUMINIUM TAB
- ANCHORING SYSTEMS ON REQUEST: STEEL PIN
- HANDLING SYSTEMS ON REQUEST: NYLON HANDLES

Cat. pg.16



ARTICLE WITH EDGES	ARTICLE WITHOUT EDGES	MODEL	PRICE PER PAIR- NET	DESCRIPTION	HEIGHT OF RAISED EDGE mm	HEIGHT OF RAMP PROFILE mm	INTERNAL WIDTH mm	EXTERNAL WIDTH mm	LENGTH mm	WEIGHT/ PAIR kg	CAPACITY PAIR kg	WHEELBASE 1000 mm				
• MINIMUM WIDTH OF THE WHEEL OR TRACK 100 mm																
• MAXIMUM WIDTH OF THE WHEEL OR TRACK 420 mm																
MM430BL.50.16	MM430SL.50.16	MPCL065/16 (S)	€ 425,00	PAIR OF LOADING RAMPS 065X500X1591	29	65	440	500	1591	29	3000					
MM430BL.50.18	MM430SL.50.18	MPCL065/18 (S)	€ 441,00	PAIR OF LOADING RAMPS 065X500X1791	29	65	440	500	1791	32	2000					
MM430BL.50.20	MM430SL.50.20	MPCL065/20 (S)	€ 458,00	PAIR OF LOADING RAMPS 065X500X1991	29	65	440	500	1991	35	2000					
MM430BL.50.24	MM430SL.50.24	MPCL065/24 (S)	€ 551,00	PAIR OF LOADING RAMPS 065X500X2391	29	65	440	500	2391	42	1300					
MM430BL.50.26	MM430SL.50.26	MPCL065/26 (S)	€ 567,00	PAIR OF LOADING RAMPS 065X500X2591	29	65	440	500	2591	45	1300					
MM430BL.50.30	MM430SL.50.30	MPCL065/30 (S)	€ 614,00	PAIR OF LOADING RAMPS 065X500X2991	29	65	440	500	2991	51	1000					
MM430BL.50.36	MM430SL.50.36	MPCL065/36 (S)	€ 682,00	PAIR OF LOADING RAMPS 065X500X3591	29	65	440	500	3591	61	800					
MM430BL.50.40	MM430SL.50.40	MPCL065/40 (S)	€ 729,00	PAIR OF LOADING RAMPS 065X500X3991	29	65	440	500	3991	67	660					

LOADING RAMPS HLS - HS

- WITHOUT EDGES

- ANCHORING SYSTEMS ON REQUEST: ALUMINIUM TAB
- ANCHORING SYSTEMS ON REQUEST: STEEL PIN
- HANDLING SYSTEMS ON REQUEST: NYLON HANDLES

Cat. pg.17



ARTICLE WITH EDGES	ARTICLE WITHOUT EDGES	MODEL	PRICE PER PAIR- NET	DESCRIPTION	HEIGHT OF RAMP PROFILE mm	EXTERNAL WIDTH mm	LENGTH mm	WEIGHT/ PAIR kg	CAPACITY PAIR kg	CAPACITY PAIR kg	CAPACITY PAIR kg	CAPACITY PAIR kg	CAPACITY PAIR kg	CAPACITY PAIR kg	LOADING HEIGHT MIN/MAX mm
STRAIGHT									WHEELBASE 0 mm	WHEELBASE 500 mm	WHEELBASE 750 mm	WHEELBASE 1000 mm	WHEELBASE 1250 mm		
	MM010S0.20.15	M030B2HLS/15	€ 94,00	PAIR OF LOADING RAMPS 030X215X1500 STRAIGHT	30	215	1500	8	350	425	500	600	600	350/450	
	MM010S0.20.20	M030B2HLS/20	€ 108,00	PAIR OF LOADING RAMPS 030X215X1990 STRAIGHT	30	215	1990	10	230	280	350	400	500	460/600	
	MM012S0.20.15	M030B2HS/15	€ 111,00	PAIR OF LOADING RAMPS 030X215X1500 STRAIGHT	30	215	1500	10,5	500	600	650	700	700	350/450	
	MM012S0.20.20	M030B2HS/20	€ 130,00	PAIR OF LOADING RAMPS 030X215X1990 STRAIGHT	30	215	1990	14	400	550	600	650	700	460/600	
	MM014S0.30.15	M030B3HS/15	€ 144,00	PAIR OF LOADING RAMPS 030X315X1500 STRAIGHT	30	315	1500	16	800	1000	1000	1000	1000	350/450	
	MM014S0.30.20	M030B3HS/20	€ 180,00	PAIR OF LOADING RAMPS 030X315X1990 STRAIGHT	30	315	1990	21	650	780	900	1000	1000	460/600	
	MM014S0.30.25	M030B3HS/25	€ 211,00	PAIR OF LOADING RAMPS 030X315X2510 STRAIGHT	30	315	2510	26	500	600	700	800	1000	610/750	
	MM016S0.30.30	M040B3HS/30	€ 268,00	PAIR OF LOADING RAMPS 040X315X3000 STRAIGHT	40	315	3000	36	700	800	900	1000	1000	760/900	
CURVED						OVERALL SIDE HEIGHT mm									
	MM011S0.20.15	M030B2BHS/15	€ 108,00	PAIR OF LOADING RAMPS 030X215X1492 CURVED	30	90	215	1492	8	280	320	400	540	540	260/380
	MM011S0.20.20	M030B2BHS/20	€ 122,00	PAIR OF LOADING RAMPS 030X215X1980 CURVED	30	104	215	1980	10	200	225	280	360	450	390/520
	MM013S0.20.15	M030B2BHS/15	€ 125,00	PAIR OF LOADING RAMPS 030X215X1492 CURVED	30	90	215	1492	10,5	400	450	520	560	600	260/380
	MM013S0.20.20	M030B2BHS/20	€ 144,00	PAIR OF LOADING RAMPS 030X215X1980 CURVED	30	104	215	1980	14	320	400	480	540	580	390/520
	MM015S0.30.15	M030B3BHS/15	€ 165,00	PAIR OF LOADING RAMPS 030X315X1492 CURVED	30	90	315	1492	16	640	750	850	950	1000	260/380
	MM015S0.30.20	M030B3BHS/20	€ 193,00	PAIR OF LOADING RAMPS 030X315X1980 CURVED	30	104	315	1980	21	520	580	720	900	1000	390/520
	MM015S0.30.25	M030B3BHS/25	€ 224,00	PAIR OF LOADING RAMPS 030X315X2499 CURVED	30	115	315	2499	26	400	450	560	720	850	530/650
	MM017S0.30.30	M040B3BHS/30	€ 282,00	PAIR OF LOADING RAMPS 040X315X2988 LOADING H.CURVED	40	122	315	2988	36	560	600	720	900	1000	660/800

Cat. pg.18

LOADING RAMPS M050

- WITH EDGES
- ON REQUEST: HINGED VERSION & BAYONET COUPLING VERSION

• NO ACCESSORIES

Cat. pg.19
& pg.73

ARTICLE WITH EDGES	ARTICLE WITHOUT EDGES	MODEL	PRICE PER PAIR- NET	DESCRIPTION	HEIGHT OF RAISED EDGE mm	HEIGHT OF RAMP PROFILE mm	OVERALL SIDE H. WITH RAISED EDGES mm	INTERNAL WIDTH mm	EXTERNAL L WIDTH mm	LENGTH mm	WEIGHT/ PAIR kg	CAPACITY PAIR kg	CAPACITY PAIR kg	CAPACITY PAIR kg	
												WHEELBASE 0 mm	WHEELBASE 500 mm	WHEELBASE 1000 mm	
MM050B0.25.10		M050/10	€ 137,00	PAIR OF LOADING RAMPS 050X246X1000	45	50	100	155	246	1000	9	800	1500	1500	
MM050B0.25.15		M050/15	€ 161,00	PAIR OF LOADING RAMPS 050X246X1500	45	50	100	155	246	1500	13	800	1479	1500	
MM050B0.25.20		M050/20	€ 184,00	PAIR OF LOADING RAMPS 050X246X2000	45	50	100	155	246	2000	17	739	986	1479	
MM050B0.25.25		M050/25	€ 242,00	PAIR OF LOADING RAMPS 050X246X2500	45	50	100	155	246	2500	20	532	665	887	
MM050B0.25.30		M050/30	€ 266,00	PAIR OF LOADING RAMPS 050X246X3000	45	50	100	155	246	3000	24	419	503	628	
MM050B0.25.35		M050/35	€ 289,00	PAIR OF LOADING RAMPS 050X246X3500	45	50	100	155	246	3500	28	346	404	485	

LOADING RAMPS M030

- WITHOUT EDGES
- STANDARD HEAD: L
- HEAD TYPES ON REQUEST:
 - G with hook
 - A with support
 - T with tube
- ON REQUEST: HINGED VERSION
- ON REQUEST: FOOT END TYPE C040F

- STANDARD ANCHORING SYSTEMS: ALUMINIUM TAB
- ANCHORING SYSTEMS ON REQUEST: STEEL PIN
- HANDLING SYSTEMS ON REQUEST: NYLON HANDLES

Cat. pg.20



ARTICLE WITH EDGES	ARTICLE WITHOUT EDGES	MODEL	PRICE PER PAIR- NET	DESCRIPTION	HEIGHT OF RAMP PROFILE mm	EXTERNAL L WIDTH mm	LENGTH mm	WEIGHT/ PAIR kg	CAPACITY PAIR kg	CAPACITY PAIR kg	CAPACITY PAIR kg	
									WHEELBASE 500 mm	WHEELBASE 750 mm	WHEELBASE 1000 mm	
	MM030SL.20.15	M030B2/15	€ 170,00	PAIR OF LOADING RAMPS 030X215X1500	30	215	1500	13	830	1107	1580	
	MM030SL.20.20	M030B2/20	€ 188,00	PAIR OF LOADING RAMPS 030X215X2000	30	215	2000	16	553	664	830	
	MM030SL.20.25	M030B2/25	€ 206,00	PAIR OF LOADING RAMPS 030X215X2500	30	215	2500	19	415	474	553	
	MM030SL.20.30	M030B2/30	€ 264,00	PAIR OF LOADING RAMPS 030X215X3000	30	215	3000	23	315	350	394	
	MM030SL.20.35	M030B2/35	€ 282,00	PAIR OF LOADING RAMPS 030X215X3500	30	215	3500	26	249	271	298	
	MM030SL.20.40	M030B2/40	€ 300,00	PAIR OF LOADING RAMPS 030X215X4000	30	215	4000	29	201	216	235	
	MM030SL.40.15	M030B2/15/2	€ 277,00	PAIR OF LOADING RAMPS 030X415X1500	30	415	1500	24	1660	2214	2900	
	MM030SL.40.20	M030B2/20/2	€ 313,00	PAIR OF LOADING RAMPS 030X415X2000	30	415	2000	30	1106	1328	1660	
	MM030SL.40.25	M030B2/25/2	€ 354,00	PAIR OF LOADING RAMPS 030X415X2500	30	415	2500	37	830	948	1106	
	MM030SL.40.30	M030B2/30/2	€ 431,00	PAIR OF LOADING RAMPS 030X415X3000	30	415	3000	44	630	701	788	
	MM030SL.40.35	M030B2/35/2	€ 467,00	PAIR OF LOADING RAMPS 030X415X3500	30	415	3500	50	498	543	597	
	MM030SL.40.40	M030B2/40/2	€ 509,00	PAIR OF LOADING RAMPS 030X415X4000	30	415	4000	57	402	433	470	
	MM035SL.30.15	M030B3/15	€ 199,00	PAIR OF LOADING RAMPS 030X315X1500	30	315	1500	18	1178	1570	2355	
	MM035SL.30.20	M030B3/20	€ 229,00	PAIR OF LOADING RAMPS 030X315X2000	30	315	2000	23	785	942	1178	
	MM035SL.30.25	M030B3/25	€ 258,00	PAIR OF LOADING RAMPS 030X315X2500	30	315	2500	28	589	673	785	
	MM035SL.30.30	M030B3/30	€ 322,00	PAIR OF LOADING RAMPS 030X315X3000	30	315	3000	33	447	496	559	
	MM035SL.30.35	M030B3/35	€ 352,00	PAIR OF LOADING RAMPS 030X315X3500	30	315	3500	38	353	385	423	
	MM035SL.30.40	M030B3/40	€ 382,00	PAIR OF LOADING RAMPS 030X315X4000	30	315	4000	43	285	307	334	
	MM035SL.60.15	M030B3/15/2	€ 355,00	PAIR OF LOADING RAMPS 030X615X1500	30	615	1500	35	2356	2900	2900	
	MM035SL.60.20	M030B3/20/2	€ 414,00	PAIR OF LOADING RAMPS 030X615X2000	30	615	2000	45	1570	1884	2356	
	MM035SL.60.25	M030B3/25/2	€ 480,00	PAIR OF LOADING RAMPS 030X615X2500	30	615	2500	55	1178	1346	1570	
	MM035SL.60.30	M030B3/30/2	€ 553,00	PAIR OF LOADING RAMPS 030X615X3000	30	615	3000	65	894	993	1119	
	MM035SL.60.35	M030B3/35/2	€ 613,00	PAIR OF LOADING RAMPS 030X615X3500	30	615	3500	75	707	770	847	
	MM035SL.60.40	M030B3/40/2	€ 686,00	PAIR OF LOADING RAMPS 030X615X4000	30	615	4000	85	571	615	668	

Cat. pg.21



LOADING RAMPS M040

• WITHOUT EDGES

• STANDARD HEAD: L

• HEAD TYPES ON REQUEST:

• G with hook · A with support · T with tube

• ON REQUEST: HINGED VERSION

• ON REQUEST: FOOT END TYPE C040F

• STANDARD ANCHORING SYSTEMS: ALUMINIUM TAB

• ANCHORING SYSTEMS ON REQUEST: STEEL PIN

• HANDLING SYSTEMS ON REQUEST: NYLON HANDLES

ARTICLE WITH EDGES	ARTICLE WITHOUT EDGES	MODEL	PRICE PER PAIR - NET	DESCRIPTION	HEIGHT OF RAMP PROFILE mm	EXTERNA L WIDTH mm	LENGTH mm	WEIGHT/ PAIR kg	CAPACITY PAIR kg	CAPACITY PAIR kg	CAPACITY PAIR kg		
									WHEELBASE 500 mm	WHEELBASE 750 mm	WHEELBASE 1000 mm	Cat. pg.22	
	MM040SL.20.15	M040B2/15	€ 175,00	PAIR OF LOADING RAMPS 040X215X1500	40	215	1500	14	1259	1580	1580		
	MM040SL.20.20	M040B2/20	€ 199,00	PAIR OF LOADING RAMPS 040X215X2000	40	215	2000	18	839	1007	1259		
	MM040SL.20.25	M040B2/25	€ 223,00	PAIR OF LOADING RAMPS 040X215X2500	40	215	2500	22	630	719	839		
	MM040SL.20.30	M040B2/30	€ 275,00	PAIR OF LOADING RAMPS 040X215X3000	40	215	3000	25	478	532	598		
	MM040SL.20.35	M040B2/35	€ 299,00	PAIR OF LOADING RAMPS 040X215X3500	40	215	3500	29	378	412	453		
	MM040SL.20.40	M040B2/40	€ 323,00	PAIR OF LOADING RAMPS 040X215X4000	40	215	4000	33	306	328	357		
	MM040SL.40.15	M040B2/15/2	€ 302,00	PAIR OF LOADING RAMPS 040X415X1500	40	415	1500	26	2518	2900	2900		
	MM040SL.40.20	M040B2/20/2	€ 343,00	PAIR OF LOADING RAMPS 040X415X2000	40	415	2000	33	1678	2014	2518		
	MM040SL.40.25	M040B2/25/2	€ 391,00	PAIR OF LOADING RAMPS 040X415X2500	40	415	2500	41	1260	1438	1678		
	MM040SL.40.30	M040B2/30/2	€ 454,00	PAIR OF LOADING RAMPS 040X415X3000	40	415	3000	48	957	1064	1197		
	MM040SL.40.35	M040B2/35/2	€ 501,00	PAIR OF LOADING RAMPS 040X415X3500	40	415	3500	56	756	824	907		
	MM040SL.40.40	M040B2/40/2	€ 550,00	PAIR OF LOADING RAMPS 040X415X4000	40	415	4000	63	612	657	714		
	MM045SL.30.15	M040B3/15	€ 223,00	PAIR OF LOADING RAMPS 040X315X1500	40	315	1500	21	2132	2370	2370		
	MM045SL.30.20	M040B3/20	€ 258,00	PAIR OF LOADING RAMPS 040X315X2000	40	315	2000	27	1421	1705	2132		
	MM045SL.30.25	M040B3/25	€ 294,00	PAIR OF LOADING RAMPS 040X315X2500	40	315	2500	33	1066	1218	1421		
	MM045SL.30.30	M040B3/30	€ 357,00	PAIR OF LOADING RAMPS 040X315X3000	40	315	3000	39	810	899	1012		
	MM045SL.30.35	M040B3/35	€ 392,00	PAIR OF LOADING RAMPS 040X315X3500	40	315	3500	45	639	697	767		
	MM045SL.30.40	M040B3/40	€ 427,00	PAIR OF LOADING RAMPS 040X315X4000	40	315	4000	51	517	557	604		
	MM045SL.60.15	M040B3/15/2	€ 397,00	PAIR OF LOADING RAMPS 040X615X1500	40	615	1500	40	2900	2900	2900		
	MM045SL.60.20	M040B3/20/2	€ 481,00	PAIR OF LOADING RAMPS 040X615X2000	40	615	2000	52	2842	2900	2900		
	MM045SL.60.25	M040B3/25/2	€ 552,00	PAIR OF LOADING RAMPS 040X615X2500	40	615	2500	64	2132	2436	2842		
	MM045SL.60.30	M040B3/30/2	€ 651,00	PAIR OF LOADING RAMPS 040X615X3000	40	615	3000	76	1620	1799	2025		
	MM045SL.60.35	M040B3/35/2	€ 749,00	PAIR OF LOADING RAMPS 040X615X3500	40	615	3500	88	1279	1395	1535		
	MM045SL.60.40	M040B3/40/2	€ 820,00	PAIR OF LOADING RAMPS 040X615X4000	40	615	4000	100	1035	1115	1208		

Cat. pg.23

LOADING RAMPS M060

• WITHOUT EDGES

• STANDARD HEAD: L

• HEAD TYPES ON REQUEST:


• G with hook · A with support · T with tube

• STANDARD ANCHORING SYSTEMS: ALUMINIUM TAB

• ANCHORING SYSTEMS ON REQUEST: STEEL PIN

• HANDLING SYSTEMS ON REQUEST: NYLON HANDLES

ARTICLE WITH EDGES	ARTICLE WITHOUT EDGES	MODEL	PRICE PER PAIR - NET	DESCRIPTION	HEIGHT OF RAMP PROFILE mm	EXTERNA L WIDTH mm	LENGTH mm	WEIGHT/ PAIR kg	CAPACITY PAIR kg	CAPACITY PAIR kg	CAPACITY PAIR kg		
									WHEELBASE 1000 mm	WHEELBASE 1250 mm	WHEELBASE 1500 mm	Cat. pg.24	
	MM060SL.30.15	M060B3/15	€ 289,00	PAIR OF LOADING RAMPS 060X315X1500	60	315	1500	22	4500	4500	4500		
	MM060SL.30.20	M060B3/20	€ 332,00	PAIR OF LOADING RAMPS 060X315X2000	60	315	2000	29	3300	3900	4500		
	MM060SL.30.25	M060B3/25	€ 382,00	PAIR OF LOADING RAMPS 060X315X2500	60	315	2500	33	2400	3000	3400		
	MM060SL.30.30	M060B3/30	€ 426,00	PAIR OF LOADING RAMPS 060X315X3000	60	315	3000	40	1705	2000	2250		
	MM060SL.30.35	M060B3/35	€ 511,00	PAIR OF LOADING RAMPS 060X315X3500	60	315	3500	47	1200	1350	1500		
	MM060SL.30.40	M060B3/40	€ 555,00	PAIR OF LOADING RAMPS 060X315X4000	60	315	4000	54	1000	1100	1200		



LOADING RAMPS M055

- WITH OR WITHOUT EDGES
- WITH ONLY ONE RAISED EDGE
- STANDARD HEAD: L
- HEAD TYPES ON REQUEST:

- G with hook - A with support - T with tube

- STANDARD ANCHORING SYSTEMS: ALUMINIUM TAB
- ANCHORING SYSTEMS ON REQUEST: STEEL PIN
- HANDLING SYSTEMS ON REQUEST: NYLON HANDLES

Cat. pg.25



ARTICLE WITH EDGES	ARTICLE WITHOUT EDGES	MODEL	PRICE PER PAIR - NET	DESCRIPTION	HEIGHT OF RAMP PROFILE mm	OVERALL SIDE H. WITH RAISED EDGES mm	INTERNAL WIDTH mm	EXTERNAL L WIDTH mm	LENGTH mm	WEIGHT/ PAIR kg	CAPACITY PAIR kg	CAPACITY PAIR kg	CAPACITY PAIR kg		
• MINIMUM WIDTH OF THE WHEEL OR TRACK 150 mm											WHEELBASE 1000 mm	WHEELBASE 1250 mm	WHEELBASE 1500 mm		
• MAXIMUM WIDTH OF THE WHEEL OR TRACK 220 mm															
MM055BL.30.15	MM055SL.30.15	M055/15 (S)	€ 267,00	PAIR OF LOADING RAMPS 055X300X1495	55	83	240	300	1495	15	2500	2500	2500		
MM055BL.30.20	MM055SL.30.20	M055/20 (S)	€ 294,00	PAIR OF LOADING RAMPS 055X300X1995	55	83	240	300	1995	20	1500	2000	2500		
MM055BL.30.25	MM055SL.30.25	M055/25 (S)	€ 322,00	PAIR OF LOADING RAMPS 055X300X2495	55	83	240	300	2495	25	1000	1200	1500		
MM055BL.30.30	MM055SL.30.30	M055/30 (S)	€ 385,00	PAIR OF LOADING RAMPS 055X300X2995	55	83	240	300	2995	29	750	850	1000		
MM055BL.30.35	MM055SL.30.35	M055/35 (S)	€ 412,00	PAIR OF LOADING RAMPS 055X300X3495	55	83	240	300	3495	34	600	660	750		
MM055BL.30.40	MM055SL.30.40	M055/40 (S)	€ 480,00	PAIR OF LOADING RAMPS 055X300X3995	55	83	240	300	3995	39	500	540	600		

LOADING RAMPS M065

- WITH OR WITHOUT EDGES
- WITH ONLY ONE RAISED EDGE
- STANDARD HEAD: L
- HEAD TYPES ON REQUEST:

- G with hook - A with support - T with tube

- STANDARD ANCHORING SYSTEMS: ALUMINIUM TAB
- ANCHORING SYSTEMS ON REQUEST: STEEL PIN
- HANDLING SYSTEMS ON REQUEST: NYLON HANDLES

Cat. pg.26



ARTICLE WITH EDGES	ARTICLE WITHOUT EDGES	MODEL	PRICE PER PAIR - NET	DESCRIPTION	HEIGHT OF RAMP PROFILE mm	OVERALL SIDE H. WITH RAISED EDGES mm	INTERNAL WIDTH mm	EXTERNAL L WIDTH mm	LENGTH mm	WEIGHT/ PAIR kg	CAPACITY PAIR kg	CAPACITY PAIR kg	CAPACITY PAIR kg		
• MINIMUM WIDTH OF THE WHEEL OR TRACK 150 mm											WHEELBASE 1000 mm	WHEELBASE 1250 mm	WHEELBASE 1500 mm		
• MAXIMUM WIDTH OF THE WHEEL OR TRACK 220 mm															
MM065BL.30.15	MM065SL.30.15	M065/15 (S)	€ 278,00	PAIR OF LOADING RAMPS 065X300X1495	65	83	240	300	1495	17	2700	2700	2700		
MM065BL.30.20	MM065SL.30.20	M065/20 (S)	€ 305,00	PAIR OF LOADING RAMPS 065X300X1995	65	83	240	300	1995	22	2000	2660	2700		
MM065BL.30.25	MM065SL.30.25	M065/25 (S)	€ 333,00	PAIR OF LOADING RAMPS 065X300X2495	65	83	240	300	2495	27	1330	1600	2000		
MM065BL.30.30	MM065SL.30.30	M065/30 (S)	€ 401,00	PAIR OF LOADING RAMPS 065X300X2995	65	83	240	300	2995	32	1000	1140	1330		
MM065BL.30.35	MM065SL.30.35	M065/35 (S)	€ 428,00	PAIR OF LOADING RAMPS 065X300X3495	65	83	240	300	3495	37	800	880	1000		
MM065BL.30.40	MM065SL.30.40	M065/40 (S)	€ 497,00	PAIR OF LOADING RAMPS 065X300X3995	65	83	240	300	3995	41	660	720	800		
• MINIMUM WIDTH OF THE WHEEL OR TRACK 300 mm															
• MAXIMUM WIDTH OF THE WHEEL OR TRACK 420 mm															
MM065BL.50.15	MM065SL.50.15	M065/15L (S)	€ 337,00	PAIR OF LOADING RAMPS 065X500X1495	65	83	440	500	1495	24	2450	2450	2450		
MM065BL.50.20	MM065SL.50.20	M065/20L (S)	€ 369,00	PAIR OF LOADING RAMPS 065X500X1995	65	83	440	500	1995	30	2000	2450	2450		
MM065BL.50.25	MM065SL.50.25	M065/25L (S)	€ 428,00	PAIR OF LOADING RAMPS 065X500X2495	65	83	440	500	2495	37	1330	1600	2000		
MM065BL.50.30	MM065SL.50.30	M065/30L (S)	€ 502,00	PAIR OF LOADING RAMPS 065X500X2995	65	83	440	500	2995	43	1000	1140	1330		
MM065BL.50.35	MM065SL.50.35	M065/35L (S)	€ 541,00	PAIR OF LOADING RAMPS 065X500X3495	65	83	440	500	3495	50	800	880	1000		
MM065BL.50.40	MM065SL.50.40	M065/40L (S)	€ 615,00	PAIR OF LOADING RAMPS 065X500X3995	65	83	440	500	3995	56	660	720	800		

LOADING RAMPS M074

- WITH OR WITHOUT EDGES
- WITH ONLY ONE RAISED EDGE
- STANDARD HEAD: L
- HEAD TYPES ON REQUEST:

· G with hook · A with support · T with tube

- STANDARD ANCHORING SYSTEMS: ALUMINIUM TAB
- ANCHORING SYSTEMS ON REQUEST: STEEL PIN
- HANDLING SYSTEMS ON REQUEST: NYLON HANDLES

Cat. pg.27



ARTICLE WITH EDGES	ARTICLE WITHOUT EDGES	MODEL	PRICE PER PAIR - NET	DESCRIPTION	HEIGHT OF RAMP PROFILE mm	OVERALL SIDE H. WITH RAISED EDGES mm	INTERNAL WIDTH mm	EXTERNAL L WIDTH mm	LENGTH mm	WEIGHT/ PAIR kg	CAPACITY PAIR kg	CAPACITY PAIR kg	CAPACITY PAIR kg		
• MINIMUM WIDTH OF THE WHEEL OR TRACK 150 mm											WHEELBASE 1000 mm	WHEELBASE 1250 mm	WHEELBASE 1500 mm		
• MAXIMUM WIDTH OF THE WHEEL OR TRACK 220 mm															
MM074BL.30.20	MM074SL.30.20	M074/20 (S)	€ 321,00	PAIR OF LOADING RAMPS 075X300X1995	75	91	240	300	1995	24	2510	3000	3000		
MM074BL.30.25	MM074SL.30.25	M074/25 (S)	€ 349,00	PAIR OF LOADING RAMPS 075X300X2495	75	91	240	300	2495	29	1670	2010	2510		
MM074BL.30.30	MM074SL.30.30	M074/30 (S)	€ 418,00	PAIR OF LOADING RAMPS 075X300X2995	75	91	240	300	2995	34	1250	1430	1670		
MM074BL.30.35	MM074SL.30.35	M074/35 (S)	€ 493,00	PAIR OF LOADING RAMPS 075X300X3495	75	91	240	300	3495	40	1000	1110	1250		
MM074BL.30.40	MM074SL.30.40	M074/40 (S)	€ 521,00	PAIR OF LOADING RAMPS 075X300X3995	75	91	240	300	3995	45	830	910	1000		
MM074BL.30.45	MM074SL.30.45	M074/45 (S)	€ 613,00	PAIR OF LOADING RAMPS 075X300X4495	75	91	240	300	4495	51	710	770	830		

LOADING RAMPS M085

- WITH OR WITHOUT EDGES
- WITH ONLY ONE RAISED EDGE
- STANDARD HEAD: L
- HEAD TYPES ON REQUEST:

· G with hook · A with support · T with tube

- STANDARD ANCHORING SYSTEMS: ALUMINIUM TAB
- ANCHORING SYSTEMS ON REQUEST: STEEL PIN
- HANDLING SYSTEMS ON REQUEST: NYLON HANDLES

Cat. pg.28



ARTICLE WITH EDGES	ARTICLE WITHOUT EDGES	MODEL	PRICE PER PAIR - NET	DESCRIPTION	HEIGHT OF RAMP PROFILE mm	OVERALL SIDE H. WITH RAISED EDGES mm	INTERNAL WIDTH mm	EXTERNAL L WIDTH mm	LENGTH mm	WEIGHT/ PAIR kg	CAPACITY PAIR kg	CAPACITY PAIR kg	CAPACITY PAIR kg		
• MINIMUM WIDTH OF THE WHEEL OR TRACK 150 mm											WHEELBASE 1000 mm	WHEELBASE 1250 mm	WHEELBASE 1500 mm		
• MAXIMUM WIDTH OF THE WHEEL OR TRACK 220 mm															
MM085BL.30.20	MM085SL.30.20	M085/20 (S)	€ 347,00	PAIR OF LOADING RAMPS 085X300X1995	85	91	240	300	1995	25	3000	3400	3400		
MM085BL.30.25	MM085SL.30.25	M085/25 (S)	€ 364,00	PAIR OF LOADING RAMPS 085X300X2495	85	91	240	300	2495	28	2100	2600	3000		
MM085BL.30.30	MM085SL.30.30	M085/30 (S)	€ 413,00	PAIR OF LOADING RAMPS 085X300X2995	85	91	240	300	2995	33	1500	1710	2100		
MM085BL.30.35	MM085SL.30.35	M085/35 (S)	€ 482,00	PAIR OF LOADING RAMPS 085X300X3495	85	91	240	300	3495	38	1200	1330	1500		
MM085BL.30.40	MM085SL.30.40	M085/40 (S)	€ 516,00	PAIR OF LOADING RAMPS 085X300X3995	85	91	240	300	3995	44	1000	1090	1200		
MM085BL.30.45	MM085SL.30.45	M085/45 (S)	€ 602,00	PAIR OF LOADING RAMPS 085X300X4495	85	91	240	300	4495	49	850	920	1000		

LOADING RAMPS M076

- WITH OR WITHOUT EDGES
- WITH ONLY ONE RAISED EDGE
- STANDARD HEAD: L
- HEAD TYPES ON REQUEST:

· G with hook · A with support · T with tube

- STANDARD ANCHORING SYSTEMS: ALUMINIUM TAB
- ANCHORING SYSTEMS ON REQUEST: STEEL PIN
- HANDLING SYSTEMS ON REQUEST: NYLON HANDLES

Cat. pg.29



ARTICLE WITH EDGES	ARTICLE WITHOUT EDGES	MODEL	PRICE PER PAIR - NET	DESCRIPTION	HEIGHT OF RAMP PROFILE mm	OVERALL SIDE H. WITH RAISED EDGES mm	INTERNAL WIDTH mm	EXTERNAL L WIDTH mm	LENGTH mm	WEIGHT/ PAIR kg	CAPACITY PAIR kg	CAPACITY PAIR kg	CAPACITY PAIR kg		
• MINIMUM WIDTH OF THE WHEEL OR TRACK 150 mm											WHEELBASE 1000 mm	WHEELBASE 1250 mm	WHEELBASE 1500 mm		
• MAXIMUM WIDTH OF THE WHEEL OR TRACK 220 mm															
MM076BL.30.20	MM076SL.30.20	M076/20 (S)	€ 364,00	PAIR OF LOADING RAMPS 075X300X1995	75	91	240	300	1995	28	3500	3500	3500		
MM076BL.30.25	MM076SL.30.25	M076/25 (S)	€ 403,00	PAIR OF LOADING RAMPS 075X300X2495	75	91	240	300	2495	35	2330	2700	3500		
MM076BL.30.30	MM076SL.30.30	M076/30 (S)	€ 447,00	PAIR OF LOADING RAMPS 075X300X2995	75	91	240	300	2995	39	1750	2000	2330		
MM076BL.30.35	MM076SL.30.35	M076/35 (S)	€ 521,00	PAIR OF LOADING RAMPS 075X300X3495	75	91	240	300	3495	45	1400	1550	1750		
MM076BL.30.40	MM076SL.30.40	M076/40 (S)	€ 555,00	PAIR OF LOADING RAMPS 075X300X3995	75	91	240	300	3995	51	1160	1270	1400		
MM076BL.30.45	MM076SL.30.45	M076/45 (S)	€ 653,00	PAIR OF LOADING RAMPS 075X300X4495	75	91	240	300	4495	57	1000	1070	1160		

LOADING RAMPS M100

- WITH OR WITHOUT EDGES
- WITH ONLY ONE RAISED EDGE
- STANDARD HEAD: L
- HEAD TYPES ON REQUEST:
- G with hook · A with support · T with tube

- STANDARD ANCHORING SYSTEMS: ALUMINIUM TAB
- ANCHORING SYSTEMS ON REQUEST: STEEL PIN
- HANDLING SYSTEMS ON REQUEST: NYLON HANDLES

Cat. pg.30



ARTICLE WITH EDGES	ARTICLE WITHOUT EDGES	MODEL	PRICE PER PAIR- NET	DESCRIPTION	HEIGHT OF RAMP PROFILE mm	INTERNAL WIDTH mm	EXTERNAL WIDTH mm	LENGTH mm	WEIGHT/ PAIR kg	CAPACITY PAIR kg	CAPACITY PAIR kg	CAPACITY PAIR kg		
• MINIMUM WIDTH OF THE WHEEL OR TRACK 200 mm										WHEELBASE 1000 mm	WHEELBASE 1250 mm	WHEELBASE 1500 mm		
• MAXIMUM WIDTH OF THE WHEEL OR TRACK 280 mm														
MM101BL.36.25	MM101SL.36.25	M100/25 (S)	€ 430,00	PAIR OF LOADING RAMPS 100X360X2495	100	300	360	2495	36	2500	3020	3800		
MM101BL.36.30	MM101SL.36.30	M100/30 (S)	€ 447,00	PAIR OF LOADING RAMPS 100X360X2995	100	300	360	2995	39	1900	2150	2500		
MM101BL.36.35	MM101SL.36.35	M100/35 (S)	€ 521,00	PAIR OF LOADING RAMPS 100X360X3495	100	300	360	3495	45	1500	1680	1900		
MM101BL.36.40	MM101SL.36.40	M100/40 (S)	€ 596,00	PAIR OF LOADING RAMPS 100X360X3995	100	300	360	3995	51	1250	1370	1500		
MM101BL.36.45	MM101SL.36.45	M100/45 (S)	€ 625,00	PAIR OF LOADING RAMPS 100X360X4495	100	300	360	4495	56	1070	1160	1250		
MM101BL.36.50	MM101SL.36.50	M100/50 (S)	€ 747,00	PAIR OF LOADING RAMPS 100X360X4995	100	300	360	4995	62	940	1000	1070		
• MINIMUM WIDTH OF THE WHEEL OR TRACK 200 mm														
• MAXIMUM WIDTH OF THE WHEEL OR TRACK 320 mm														
MM101BL.40.25	MM101SL.40.25	M100/25L (S)	€ 441,00	PAIR OF LOADING RAMPS 100X400X2495	100	340	400	2495	38	2500	3020	3800		
MM101BL.40.30	MM101SL.40.30	M100/30L (S)	€ 480,00	PAIR OF LOADING RAMPS 100X400X2995	100	340	400	2995	45	1900	2150	2500		
MM101BL.40.35	MM101SL.40.35	M100/35L (S)	€ 533,00	PAIR OF LOADING RAMPS 100X400X3495	100	340	400	3495	47	1500	1680	1900		
MM101BL.40.40	MM101SL.40.40	M100/40L (S)	€ 613,00	PAIR OF LOADING RAMPS 100X400X3995	100	340	400	3995	54	1250	1370	1500		
MM101BL.40.45	MM101SL.40.45	M100/45L (S)	€ 647,00	PAIR OF LOADING RAMPS 100X400X4495	100	340	400	4495	60	1070	1160	1250		
MM101BL.40.50	MM101SL.40.50	M100/50L (S)	€ 784,00	PAIR OF LOADING RAMPS 100X400X4995	100	340	400	4995	66	940	1000	1070		

LOADING RAMPS M115

- WITH OR WITHOUT EDGES
- WITH ONLY ONE RAISED EDGE
- STANDARD HEAD: L
- HEAD TYPES ON REQUEST:
- G with hook · A with support · T with tube

- STANDARD ANCHORING SYSTEMS: ALUMINIUM TAB
- ANCHORING SYSTEMS ON REQUEST: STEEL PIN
- HANDLING SYSTEMS ON REQUEST: NYLON HANDLES

Cat. pg.31



ARTICLE WITH EDGES	ARTICLE WITHOUT EDGES	MODEL	PRICE PER PAIR- NET	DESCRIPTION	HEIGHT OF RAMP PROFILE mm	INTERNAL WIDTH mm	EXTERNAL WIDTH mm	LENGTH mm	WEIGHT/ PAIR kg	CAPACITY PAIR kg	CAPACITY PAIR kg	CAPACITY PAIR kg		
• MINIMUM WIDTH OF THE WHEEL OR TRACK 200 mm										WHEELBASE 1000 mm	WHEELBASE 1500 mm	WHEELBASE 2000 mm		
• MAXIMUM WIDTH OF THE WHEEL OR TRACK 280 mm														
MM116BL.36.25	MM116SL.36.25	M115/25 (S)	€ 467,00	PAIR OF LOADING RAMPS 115X360X2485	115	300	360	2485	39	3000	4500	5000		
MM116BL.36.30	MM116SL.36.30	M115/30 (S)	€ 516,00	PAIR OF LOADING RAMPS 115X360X2985	115	300	360	2985	44	2500	3000	4500		
MM116BL.36.35	MM116SL.36.35	M115/35 (S)	€ 596,00	PAIR OF LOADING RAMPS 115X360X3485	115	300	360	3485	51	2000	2500	3000		
MM116BL.36.40	MM116SL.36.40	M115/40 (S)	€ 636,00	PAIR OF LOADING RAMPS 115X360X3985	115	300	360	3985	58	1500	1800	2500		
MM116BL.36.45	MM116SL.36.45	M115/45 (S)	€ 676,00	PAIR OF LOADING RAMPS 115X360X4485	115	300	360	4485	65	1285	1500	1800		
MM116BL.36.50	MM116SL.36.50	M115/50 (S)	€ 804,00	PAIR OF LOADING RAMPS 115X360X4985	115	300	360	4985	72	1125	1285	1500		
• MINIMUM WIDTH OF THE WHEEL OR TRACK 200 mm														
• MAXIMUM WIDTH OF THE WHEEL OR TRACK 320 mm														
MM116BL.40.25	MM116SL.40.25	M115/25L (S)	€ 478,00	PAIR OF LOADING RAMPS 115X400X2485	115	340	400	2485	41	3000	4500	5000		
MM116BL.40.30	MM116SL.40.30	M115/30L (S)	€ 544,00	PAIR OF LOADING RAMPS 115X400X2985	115	340	400	2985	49	2500	3000	4500		
MM116BL.40.35	MM116SL.40.35	M115/35L (S)	€ 625,00	PAIR OF LOADING RAMPS 115X400X3485	115	340	400	3485	56	2000	2500	3000		
MM116BL.40.40	MM116SL.40.40	M115/40L (S)	€ 670,00	PAIR OF LOADING RAMPS 115X400X3985	115	340	400	3985	64	1500	1800	2500		
MM116BL.40.45	MM116SL.40.45	M115/45L (S)	€ 709,00	PAIR OF LOADING RAMPS 115X400X4485	115	340	400	4485	71	1285	1500	1800		
MM116BL.40.50	MM116SL.40.50	M115/50L (S)	€ 843,00	PAIR OF LOADING RAMPS 115X400X4985	115	340	400	4985	79	1125	1285	1500		

LOADING RAMPS M125

- WITH OR WITHOUT EDGES
- WITH ONLY ONE RAISED EDGE
- STANDARD HEAD: L
- HEAD TYPES ON REQUEST:

· G with hook · A with support · T with tube

- STANDARD ANCHORING SYSTEMS: ALUMINIUM TAB
- ANCHORING SYSTEMS ON REQUEST: STEEL PIN
- HANDLING SYSTEMS ON REQUEST: NYLON HANDLES

Cat. pg.32



ARTICLE WITH EDGES	ARTICLE WITHOUT EDGES	MODEL	PRICE PER PAIR- NET	DESCRIPTION	HEIGHT OF RAMP PROFILE mm	INTERNAL WIDTH mm	EXTERNAL WIDTH mm	LENGTH mm	WEIGHT/ PAIR kg	CAPACITY PAIR kg	CAPACITY PAIR kg	CAPACITY PAIR kg		
• MINIMUM WIDTH OF THE WHEEL OR TRACK 200 mm										WHEELBASE 1000 mm	WHEELBASE 1500 mm	WHEELBASE 2000 mm		
• MAXIMUM WIDTH OF THE WHEEL OR TRACK 280 mm														
MM126BL.36.25	MM126SL.36.25	M125/25 (S)	€ 530,00	PAIR OF LOADING RAMPS 125X360X2485	125	300	360	2485	44	4580	6000	6000		
MM126BL.36.30	MM126SL.36.30	M125/30 (S)	€ 588,00	PAIR OF LOADING RAMPS 125X360X2985	125	300	360	2985	52	3435	4580	6000		
MM126BL.36.35	MM126SL.36.35	M125/35 (S)	€ 647,00	PAIR OF LOADING RAMPS 125X360X3485	125	300	360	3485	60	2750	3435	4580		
MM126BL.36.40	MM126SL.36.40	M125/40 (S)	€ 687,00	PAIR OF LOADING RAMPS 125X360X3985	125	300	360	3985	67	2290	2750	3435		
MM126BL.36.45	MM126SL.36.45	M125/45 (S)	€ 726,00	PAIR OF LOADING RAMPS 125X360X4485	125	300	360	4485	74	1965	2290	2750		
MM126BL.36.50	MM126SL.36.50	M125/50 (S)	€ 880,00	PAIR OF LOADING RAMPS 125X360X4985	125	300	360	4985	82	1720	1965	2290		
• MINIMUM WIDTH OF THE WHEEL OR TRACK 200 mm														
• MAXIMUM WIDTH OF THE WHEEL OR TRACK 320 mm														
MM126BL.40.25	MM126SL.40.25	M125/25L (S)	€ 541,00	PAIR OF LOADING RAMPS 125X400X2485	125	340	400	2485	46	4580	6000	6000		
MM126BL.40.30	MM126SL.40.30	M125/30L (S)	€ 605,00	PAIR OF LOADING RAMPS 125X400X2985	125	340	400	2985	55	3435	4580	6000		
MM126BL.40.35	MM126SL.40.35	M125/35L (S)	€ 670,00	PAIR OF LOADING RAMPS 125X400X3485	125	340	400	3485	64	2750	3435	4580		
MM126BL.40.40	MM126SL.40.40	M125/40L (S)	€ 721,00	PAIR OF LOADING RAMPS 125X400X3985	125	340	400	3985	73	2290	2750	3435		
MM126BL.40.45	MM126SL.40.45	M125/45L (S)	€ 786,00	PAIR OF LOADING RAMPS 125X400X4485	125	340	400	4485	81	1965	2290	2750		
MM126BL.40.50	MM126SL.40.50	M125/50L (S)	€ 925,00	PAIR OF LOADING RAMPS 125X400X4985	125	340	400	4985	90	1720	1965	2290		



LOADING RAMPS M140

- WITH OR WITHOUT EDGES
- WITH ONLY ONE RAISED EDGE
- STANDARD HEAD: L
- HEAD TYPES ON REQUEST:

· G with hook · A with support · T with tube

- STANDARD ANCHORING SYSTEMS: CARABINER CLIP WITH STEEL CHAIN
- ANCHORING SYSTEMS ON REQUEST: · STEEL PIN · STEEL BRACKET
- HANDLING SYSTEMS ON REQUEST: NYLON HANDLES

Cat. pg.33



ARTICLE WITH EDGES	ARTICLE WITHOUT EDGES	MODEL	PRICE PER PAIR- NET	DESCRIPTION	HEIGHT OF RAMP PROFILE mm	INTERNAL WIDTH mm	EXTERNAL WIDTH mm	LENGTH mm	WEIGHT/ PAIR kg	CAPACITY PAIR kg	CAPACITY PAIR kg	CAPACITY PAIR kg		
• MINIMUM WIDTH OF THE WHEEL OR TRACK 200 mm										WHEELBASE 1000 mm	WHEELBASE 1500 mm	WHEELBASE 2000 mm		
• MAXIMUM WIDTH OF THE WHEEL OR TRACK 320 mm														
MM141BL.40.25	MM141SL.40.25	M140/25 (S)	€ 644,00	PAIR OF LOADING RAMPS 140X400X2500	140	340	400	2500	55	5540	7000	7000		
MM141BL.40.30	MM141SL.40.30	M140/30 (S)	€ 721,00	PAIR OF LOADING RAMPS 140X400X3000	140	340	400	3000	65	4155	5540	7000		
MM141BL.40.35	MM141SL.40.35	M140/35 (S)	€ 750,00	PAIR OF LOADING RAMPS 140X400X3500	140	340	400	3500	70	3325	4155	5540		
MM141BL.40.40	MM141SL.40.40	M140/40 (S)	€ 806,00	PAIR OF LOADING RAMPS 140X400X4000	140	340	400	4000	80	2770	3325	4155		
MM141BL.40.45	MM141SL.40.45	M140/45 (S)	€ 857,00	PAIR OF LOADING RAMPS 140X400X4500	140	340	400	4500	89	2375	2770	3325		
MM141BL.40.50	MM141SL.40.50	M140/50 (S)	€ 963,00	PAIR OF LOADING RAMPS 140X400X5000	140	340	400	5000	98	2080	2375	2770		
• MINIMUM WIDTH OF THE WHEEL OR TRACK 200 mm														
• MAXIMUM WIDTH OF THE WHEEL OR TRACK 380 mm														
MM141BL.46.25	MM141SL.46.25	M140/25L (S)	€ 667,00	PAIR OF LOADING RAMPS 140X460X2500	140	400	460	2500	59	5540	7000	7000		
MM141BL.46.30	MM141SL.46.30	M140/30L (S)	€ 755,00	PAIR OF LOADING RAMPS 140X460X3000	140	400	460	3000	71	4155	5540	7000		
MM141BL.46.35	MM141SL.46.35	M140/35L (S)	€ 784,00	PAIR OF LOADING RAMPS 140X460X3500	140	400	460	3500	76	3325	4155	5540		
MM141BL.46.40	MM141SL.46.40	M140/40L (S)	€ 840,00	PAIR OF LOADING RAMPS 140X460X4000	140	400	460	4000	86	2770	3325	4155		
MM141BL.46.45	MM141SL.46.45	M140/45L (S)	€ 938,00	PAIR OF LOADING RAMPS 140X460X4500	140	400	460	4500	96	2375	2770	3325		
MM141BL.46.50	MM141SL.46.50	M140/50L (S)	€ 1.035,00	PAIR OF LOADING RAMPS 140X460X5000	140	400	460	5000	106	2080	2375	2770		



LOADING RAMPS M150

- WITH OR WITHOUT EDGES
- WITH ONLY ONE RAISED EDGE
- STANDARD HEAD: L
- HEAD TYPES ON REQUEST:

· G with hook · A with support · T with tube

- STANDARD ANCHORING SYSTEMS: CARABINER CLIP WITH STEEL CHAIN
- ANCHORING SYSTEMS ON REQUEST: · STEEL PIN · STEEL BRACKET
- HANDLING SYSTEMS ON REQUEST: NYLON HANDLES

Cat. pg.34



ARTICLE WITH EDGES	ARTICLE WITHOUT EDGES	MODEL	PRICE PER PAIR- NET	DESCRIPTION	HEIGHT OF RAMP PROFILE mm	INTERNAL WIDTH mm	EXTERNAL WIDTH mm	LENGTH mm	WEIGHT/ PAIR kg	CAPACITY PAIR kg	CAPACITY PAIR kg	CAPACITY PAIR kg		
• MINIMUM WIDTH OF THE WHEEL OR TRACK 200 mm										WHEELBASE 1000 mm	WHEELBASE 1500 mm	WHEELBASE 2000 mm		
• MAXIMUM WIDTH OF THE WHEEL OR TRACK 320 mm														
MM151BL.40.25	MM151SL.40.25	M150/25 (S)	€ 667,00	PAIR OF LOADING RAMPS 150X400X2500	150	340	400	2500	59	6870	8000	8000		
MM151BL.40.30	MM151SL.40.30	M150/30 (S)	€ 750,00	PAIR OF LOADING RAMPS 150X400X3000	150	340	400	3000	70	5150	6870	8000		
MM151BL.40.35	MM151SL.40.35	M150/35 (S)	€ 812,00	PAIR OF LOADING RAMPS 150X400X3500	150	340	400	3500	81	4120	5150	6870		
MM151BL.40.40	MM151SL.40.40	M150/40 (S)	€ 846,00	PAIR OF LOADING RAMPS 150X400X4000	150	340	400	4000	87	3435	4120	5150		
MM151BL.40.45	MM151SL.40.45	M150/45 (S)	€ 938,00	PAIR OF LOADING RAMPS 150X400X4500	150	340	400	4500	96	2945	3435	4120		
MM151BL.40.50	MM151SL.40.50	M150/50 (S)	€ 1.041,00	PAIR OF LOADING RAMPS 150X400X5000	150	340	400	5000	107	2575	2945	3435		
• MINIMUM WIDTH OF THE WHEEL OR TRACK 200 mm														
• MAXIMUM WIDTH OF THE WHEEL OR TRACK 380 mm														
MM151BL.46.25	MM151SL.46.25	M150/25L (S)	€ 716,00	PAIR OF LOADING RAMPS 150X460X2500	150	400	460	2500	64	6870	8000	8000		
MM151BL.46.30	MM151SL.46.30	M150/30L (S)	€ 784,00	PAIR OF LOADING RAMPS 150X460X3000	150	400	460	3000	76	5150	6870	8000		
MM151BL.46.35	MM151SL.46.35	M150/35L (S)	€ 846,00	PAIR OF LOADING RAMPS 150X460X3500	150	400	460	3500	87	4120	5150	6870		
MM151BL.46.40	MM151SL.46.40	M150/40L (S)	€ 880,00	PAIR OF LOADING RAMPS 150X460X4000	150	400	460	4000	93	3435	4120	5150		
MM151BL.46.45	MM151SL.46.45	M150/45L (S)	€ 977,00	PAIR OF LOADING RAMPS 150X460X4500	150	400	460	4500	103	2945	3435	4120		
MM151BL.46.50	MM151SL.46.50	M150/50L (S)	€ 1.086,00	PAIR OF LOADING RAMPS 150X460X5000	150	400	460	5000	115	2575	2945	3435		



LOADING RAMPS M160

- WITH OR WITHOUT EDGES
- WITH ONLY ONE RAISED EDGE
- STANDARD HEAD: L
- HEAD TYPES ON REQUEST:

· G with hook · A with support · T with tube

- STANDARD ANCHORING SYSTEMS: CARABINER CLIP WITH STEEL CHAIN
- ANCHORING SYSTEMS ON REQUEST: STEEL PIN
- HANDLING SYSTEMS ON REQUEST: NYLON HANDLES

Cat. pg.35



ARTICLE WITH EDGES	ARTICLE WITHOUT EDGES	MODEL	PRICE PER PAIR- NET	DESCRIPTION	HEIGHT OF RAMP PROFILE mm	INTERNAL WIDTH mm	EXTERNAL WIDTH mm	LENGTH mm	WEIGHT/ PAIR kg	CAPACITY PAIR kg	CAPACITY PAIR kg	CAPACITY PAIR kg		
• MINIMUM WIDTH OF THE WHEEL OR TRACK 200 mm										WHEELBASE 1000 mm	WHEELBASE 1500 mm	WHEELBASE 2000 mm		
• MAXIMUM WIDTH OF THE WHEEL OR TRACK 380 mm														
MM160BL.46.25	MM160SL.46.25	M160/25 (S)	€ 744,00	PAIR OF LOADING RAMPS 160X460X2500	160	400	460	2500	69	8430	9000	9000		
MM160BL.46.30	MM160SL.46.30	M160/30 (S)	€ 845,00	PAIR OF LOADING RAMPS 160X460X3000	160	400	460	3000	81	6320	8430	9000		
MM160BL.46.35	MM160SL.46.35	M160/35 (S)	€ 913,00	PAIR OF LOADING RAMPS 160X460X3500	160	400	460	3500	94	5060	6320	8430		
MM160BL.46.40	MM160SL.46.40	M160/40 (S)	€ 980,00	PAIR OF LOADING RAMPS 160X460X4000	160	400	460	4000	106	4210	5060	6320		
MM160BL.46.45	MM160SL.46.45	M160/45 (S)	€ 1.122,00	PAIR OF LOADING RAMPS 160X460X4500	160	400	460	4500	119	3610	4210	5060		
MM160BL.46.50	MM160SL.46.50	M160/50 (S)	€ 1.204,00	PAIR OF LOADING RAMPS 160X460X5000	160	400	460	5000	131	3160	3610	4210		
• MINIMUM WIDTH OF THE WHEEL OR TRACK 200 mm														
• MAXIMUM WIDTH OF THE WHEEL OR TRACK 430 mm														
MM160BL.51.25	MM160SL.51.25	M160/25L (S)	€ 767,00	PAIR OF LOADING RAMPS 160X510X2500	160	450	510	2500	73	8430	9000	9000		
MM160BL.51.30	MM160SL.51.30	M160/30L (S)	€ 867,00	PAIR OF LOADING RAMPS 160X510X3000	160	450	510	3000	86	6320	8430	9000		
MM160BL.51.35	MM160SL.51.35	M160/35L (S)	€ 941,00	PAIR OF LOADING RAMPS 160X510X3500	160	450	510	3500	99	5060	6320	8430		
MM160BL.51.40	MM160SL.51.40	M160/40L (S)	€ 1.042,00	PAIR OF LOADING RAMPS 160X510X4000	160	450	510	4000	112	4210	5060	6320		
MM160BL.51.45	MM160SL.51.45	M160/45L (S)	€ 1.156,00	PAIR OF LOADING RAMPS 160X510X4500	160	450	510	4500	125	3610	4210	5060		
MM160BL.51.50	MM160SL.51.50	M160/50L (S)	€ 1.257,00	PAIR OF LOADING RAMPS 160X510X5000	160	450	510	5000	138	3160	3610	4210		



LOADING RAMPS M170

• WITH OR WITHOUT EDGES

• WITH ONLY ONE RAISED EDGE

• STANDARD HEAD: L

• HEAD TYPES ON REQUEST:

• G with hook · A with support · T with tube

• STANDARD ANCHORING SYSTEMS: CARABINER CLIP WITH STEEL CHAIN

• ANCHORING SYSTEMS ON REQUEST: STEEL PIN

• HANDLING SYSTEMS ON REQUEST: NYLON HANDLES

Cat. pg.36



ARTICLE WITH EDGES	ARTICLE WITHOUT EDGES	MODEL	PRICE PER PAIR- NET	DESCRIPTION	HEIGHT OF RAISED EDGE mm	HEIGHT OF RAMP PROFILE mm	INTERNAL WIDTH mm	EXTERNAL WIDTH mm	LENGTH mm	WEIGHT/ PAIR kg	CAPACITY PAIR kg	CAPACITY PAIR kg	CAPACITY PAIR kg		
• MINIMUM WIDTH OF THE WHEEL OR TRACK 200 mm											WHEELBASE 1000 mm	WHEELBASE 1500 mm	WHEELBASE 2000 mm		
• MAXIMUM WIDTH OF THE WHEEL OR TRACK 430 mm															
MM171BL.51.25	MM171SL.51.25	M170/25 (S)	€ 844,00	PAIR OF LOADING RAMPS 170X510X2500	43	170	450	510	2500	76	9600	10000	10000		
MM171BL.51.30	MM171SL.51.30	M170/30 (S)	€ 924,00	PAIR OF LOADING RAMPS 170X510X3000	43	170	450	510	3000	89	7200	9600	10000		
MM171BL.51.35	MM171SL.51.35	M170/35 (S)	€ 1.024,00	PAIR OF LOADING RAMPS 170X510X3500	43	170	450	510	3500	103	5760	7200	9600		
MM171BL.51.40	MM171SL.51.40	M170/40 (S)	€ 1.144,00	PAIR OF LOADING RAMPS 170X510X4000	43	170	450	510	4000	117	4800	5760	7200		
MM171BL.51.45	MM171SL.51.45	M170/45 (S)	€ 1.217,00	PAIR OF LOADING RAMPS 170X510X4500	43	170	450	510	4500	130	4110	4800	5760		
MM171BL.51.50	MM171SL.51.50	M170/50 (S)	€ 1.379,00	PAIR OF LOADING RAMPS 170X510X5000	43	170	450	510	5000	144	3600	4110	4800		
MM171BL.51.55	MM171SL.51.55	M170/55 (S)	€ 1.596,00	PAIR OF LOADING RAMPS 170X510X5500	43	170	450	510	5500	158	3200	3600	4110		

**LOADING RAMPS M185**

• WITH OR WITHOUT EDGES

• WITH ONLY ONE RAISED EDGE

• STANDARD HEAD: L

• HEAD TYPES ON REQUEST:

• G with hook · A with support · T with tube

• STANDARD ANCHORING SYSTEMS: CARABINER CLIP WITH STEEL CHAIN


• ANCHORING SYSTEMS ON REQUEST: STEEL PIN

• HANDLING SYSTEMS ON REQUEST: NYLON HANDLES

Cat. pg.37



ARTICLE WITH EDGES	ARTICLE WITHOUT EDGES	MODEL	PRICE PER PAIR- NET	DESCRIPTION	HEIGHT OF RAISED EDGE mm	HEIGHT OF RAMP PROFILE mm	INTERNAL WIDTH mm	EXTERNAL WIDTH mm	LENGTH mm	WEIGHT/ PAIR kg	CAPACITY PAIR kg	CAPACITY PAIR kg	CAPACITY PAIR kg		
• MINIMUM WIDTH OF THE WHEEL OR TRACK 200 mm											WHEELBASE 1000 mm	WHEELBASE 1500 mm	WHEELBASE 2000 mm		
• MAXIMUM WIDTH OF THE WHEEL OR TRACK 430 mm															
MM186BL.51.25	MM186SL.51.25	M185/25 (S)	€ 903,00	PAIR OF LOADING RAMPS 185X510X2462	43	185	450	510	2462	88	12000	12000	12000		
MM186BL.51.30	MM186SL.51.30	M185/30 (S)	€ 1.030,00	PAIR OF LOADING RAMPS 185X510X2962	43	185	450	510	2962	105	8870	12000	12000		
MM186BL.51.35	MM186SL.51.35	M185/35 (S)	€ 1.157,00	PAIR OF LOADING RAMPS 185X510X3462	43	185	450	510	3462	122	7100	8870	12000		
MM186BL.51.40	MM186SL.51.40	M185/40 (S)	€ 1.219,00	PAIR OF LOADING RAMPS 185X510X3962	43	185	450	510	3962	127	5910	7100	8870		
MM186BL.51.45	MM186SL.51.45	M185/45 (S)	€ 1.315,00	PAIR OF LOADING RAMPS 185X510X4462	43	185	450	510	4462	142	5070	5910	7100		
MM186BL.51.50	MM186SL.51.50	M185/50 (S)	€ 1.445,00	PAIR OF LOADING RAMPS 185X510X4962	43	185	450	510	4962	157	4430	5070	5910		
MM186BL.51.55	MM186SL.51.55	M185/55 (S)	€ 1.727,00	PAIR OF LOADING RAMPS 185X510X5462	43	185	450	510	5462	172	3940	4430	5070		




LOADING RAMPS M200

- WITH OR WITHOUT EDGES
- WITH ONLY ONE RAISED EDGE
- STANDARD HEAD: L
- HEAD TYPES ON REQUEST:
- G with hook - A with support - T with tube

- STANDARD ANCHORING SYSTEMS: CARABINER CLIP WITH STEEL CHAIN
- ANCHORING SYSTEMS ON REQUEST: STEEL PIN
- HANDLING SYSTEMS ON REQUEST: NYLON HANDLES

Cat. pg.38



ARTICLE WITH EDGES	ARTICLE WITHOUT EDGES	MODEL	PRICE PER PAIR- NET	DESCRIPTION	HEIGHT OF RAMP PROFILE mm	INTERNAL WIDTH mm	EXTERNAL WIDTH mm	LENGTH mm	WEIGHT/ PAIR kg	CAPACITY PAIR kg	CAPACITY PAIR kg	CAPACITY PAIR kg		
• MINIMUM WIDTH OF THE WHEEL OR TRACK 300 mm										WHEELBASE 1000 mm	WHEELBASE 1500 mm	WHEELBASE 2000 mm		
• MAXIMUM WIDTH OF THE WHEEL OR TRACK 480 mm														
MM201BL.58.25	MM201SL.58.25	M200/25 (S)	€ 1.062,00	PAIR OF LOADING RAMPS 200X580X2462	200	500	580	2462	102	14000	14000	14000		
MM201BL.58.30	MM201SL.58.30	M200/30 (S)	€ 1.233,00	PAIR OF LOADING RAMPS 200X580X2962	200	500	580	2962	122	10620	14000	14000		
MM201BL.58.35	MM201SL.58.35	M200/35 (S)	€ 1.337,00	PAIR OF LOADING RAMPS 200X580X3462	200	500	580	3462	141	8500	10620	14000		
MM201BL.58.40	MM201SL.58.40	M200/40 (S)	€ 1.446,00	PAIR OF LOADING RAMPS 200X580X3962	200	500	580	3962	161	7080	8500	10620		
MM201BL.58.45	MM201SL.58.45	M200/45 (S)	€ 1.585,00	PAIR OF LOADING RAMPS 200X580X4462	200	500	580	4462	180	6070	7080	8500		
MM201BL.58.50	MM201SL.58.50	M200/50 (S)	€ 1.676,00	PAIR OF LOADING RAMPS 200X580X4962	200	500	580	4962	183	5310	6070	7080		
MM201BL.58.55	MM201SL.58.55	M200/55 (S)	€ 1.901,00	PAIR OF LOADING RAMPS 200X580X5462	200	500	580	5462	201	4720	5310	6070		

LOADING RAMPS M230

- WITH OR WITHOUT EDGES
- WITH ONLY ONE RAISED EDGE
- STANDARD HEAD: L
- HEAD TYPES ON REQUEST:
- G with hook - A with support - T with tube

- STANDARD ANCHORING SYSTEMS: CARABINER CLIP WITH STEEL CHAIN
- ANCHORING SYSTEMS ON REQUEST: STEEL PIN
- HANDLING SYSTEMS ON REQUEST: NYLON HANDLES

Cat. pg.39



ARTICLE WITH EDGES	ARTICLE WITHOUT EDGES	MODEL	PRICE PER PAIR- NET	DESCRIPTION	HEIGHT OF RAMP PROFILE mm	INTERNAL WIDTH mm	EXTERNAL WIDTH mm	LENGTH mm	WEIGHT/ PAIR kg	CAPACITY PAIR kg	CAPACITY PAIR kg	CAPACITY PAIR kg		
• MINIMUM WIDTH OF THE WHEEL OR TRACK 300 mm										WHEELBASE 1500 mm	WHEELBASE 1750 mm	WHEELBASE 2000 mm		
• MAXIMUM WIDTH OF THE WHEEL OR TRACK 480 mm														
MM231BL.58.25	MM231SL.58.25	M230/25 (S)	€ 1.234,00	PAIR OF LOADING RAMPS 230X580X2462	230	500	580	2462	111	16000	16000	16000		
MM231BL.58.30	MM231SL.58.30	M230/30 (S)	€ 1.355,00	PAIR OF LOADING RAMPS 230X580X2962	230	500	580	2962	133	15010	16000	16000		
MM231BL.58.35	MM231SL.58.35	M230/35 (S)	€ 1.470,00	PAIR OF LOADING RAMPS 230X580X3462	230	500	580	3462	154	12000	15010	16000		
MM231BL.58.40	MM231SL.58.40	M230/40 (S)	€ 1.611,00	PAIR OF LOADING RAMPS 230X580X3962	230	500	580	3962	176	10000	12000	15010		
MM231BL.58.45	MM231SL.58.45	M230/45 (S)	€ 1.745,00	PAIR OF LOADING RAMPS 230X580X4462	230	500	580	4462	198	8570	10000	12000		
MM231BL.58.50	MM231SL.58.50	M230/50 (S)	€ 1.915,00	PAIR OF LOADING RAMPS 230X580X4962	230	500	580	4962	219	7500	8570	10000		
MM231BL.58.55	MM231SL.58.55	M230/55 (S)	€ 2.213,00	PAIR OF LOADING RAMPS 230X580X5462	230	500	580	5462	241	6670	7500	8570		

LOADING RAMPS WITH SHEET METAL

COVERING M120S-AL

• WITHOUT EDGES

• STANDARD HEAD: L

• HEAD TYPES ON REQUEST:


• G with hook • A with support • T with tube

• STANDARD ANCHORING SYSTEMS: CARABINER CLIP WITH STEEL CHAIN

• ANCHORING SYSTEMS ON REQUEST: STEEL PIN

• HANDLING SYSTEMS ON REQUEST: NYLON HANDLES

ARTICLE WITH EDGES	ARTICLE WITHOUT EDGES	MODEL	PRICE PER PAIR- NET	DESCRIPTION	HEIGHT OF RAMP PROFILE mm	EXTERNA L WIDTH mm	LENGTH mm	WEIGHT/ PAIR kg	CAPACITY PAIR kg	CAPACITY PAIR kg	CAPACITY PAIR kg		
									WHEELBASE 1500 mm	WHEELBASE 1750 mm	WHEELBASE 2000 mm		Cat. pg.40
	MM120SL.36.20	M120S/3/20LAL	€ 1.230,00	PAIR OF LOADING RAMPS 120X360X2000 + ALU.SHEET	120	360	2000	81	13200	13200	13200		
	MM120SL.36.25	M120S/3/25LAL	€ 1.414,00	PAIR OF LOADING RAMPS 120X360X2500 + ALU.SHEET	120	360	2500	100	13200	13200	13200		
	MM120SL.36.30	M120S/3/30LAL	€ 1.556,00	PAIR OF LOADING RAMPS 120X360X3000 + ALU.SHEET	120	360	3000	119	9574	11489	13200		
	MM120SL.36.35	M120S/3/35LAL	€ 1.698,00	PAIR OF LOADING RAMPS 120X360X3500 + ALU.SHEET	120	360	3500	137	7181	8207	9574		
	MM120SL.36.40	M120S/3/40LAL	€ 1.835,00	PAIR OF LOADING RAMPS 120X360X4000 + ALU.SHEET	120	360	4000	156	5744	6383	7181		
	MM120SL.36.45	M120S/3/45LAL	€ 2.019,00	PAIR OF LOADING RAMPS 120X360X4500 + ALU.SHEET	120	360	4500	175	4787	5222	5744		
	MM120SL.36.50	M120S/3/50LAL	€ 2.243,00	PAIR OF LOADING RAMPS 120X360X5000 + ALU.SHEET	120	360	5000	194	4103	4419	4787		
	MM120SL.36.55	M120S/3/55LAL	€ 2.468,00	PAIR OF LOADING RAMPS 120X360X5500 + ALU.SHEET	120	360	5500	213	3590	3829	4103		
	MM120SL.48.20	M120S/4/20LAL	€ 1.440,00	PAIR OF LOADING RAMPS 120X480X2000 + ALU.SHEET	120	480	2000	108	17500	17500	17500		
	MM120SL.48.25	M120S/4/25LAL	€ 1.675,00	PAIR OF LOADING RAMPS 120X480X2500 + ALU.SHEET	120	480	2500	133	17500	17500	17500		
	MM120SL.48.30	M120S/4/30LAL	€ 1.863,00	PAIR OF LOADING RAMPS 120X480X3000 + ALU.SHEET	120	480	3000	158	12766	15319	17500		
	MM120SL.48.35	M120S/4/35LAL	€ 2.051,00	PAIR OF LOADING RAMPS 120X480X3500 + ALU.SHEET	120	480	3500	183	9574	10942	12766		
	MM120SL.48.40	M120S/4/40LAL	€ 2.239,00	PAIR OF LOADING RAMPS 120X480X4000 + ALU.SHEET	120	480	4000	208	7659	8511	9574		
	MM120SL.48.45	M120S/4/45LAL	€ 2.468,00	PAIR OF LOADING RAMPS 120X480X4500 + ALU.SHEET	120	480	4500	234	6383	6963	7659		
	MM120SL.48.50	M120S/4/50LAL	€ 2.738,00	PAIR OF LOADING RAMPS 120X480X5000 + ALU.SHEET	120	480	5000	259	5471	5892	6383		
	MM120SL.48.55	M120S/4/55LAL	€ 3.041,00	PAIR OF LOADING RAMPS 120X480X5500 + ALU.SHEET	120	480	5500	284	4787	5106	5471		
	MM120SL.60.20	M120S/5/20LAL	€ 1.655,00	PAIR OF LOADING RAMPS 120X600X2000 + ALU.SHEET	120	600	2000	135	21700	21700	21700		
	MM120SL.60.25	M120S/5/25LAL	€ 1.930,00	PAIR OF LOADING RAMPS 120X600X2500 + ALU.SHEET	120	600	2500	166	21700	21700	21700		
	MM120SL.60.30	M120S/5/30LAL	€ 2.231,00	PAIR OF LOADING RAMPS 120X600X3000 + ALU.SHEET	120	600	3000	198	15958	19149	21700		
	MM120SL.60.35	M120S/5/35LAL	€ 2.465,00	PAIR OF LOADING RAMPS 120X600X3500 + ALU.SHEET	120	600	3500	229	11968	13678	15958		
	MM120SL.60.40	M120S/5/40LAL	€ 2.704,00	PAIR OF LOADING RAMPS 120X600X4000 + ALU.SHEET	120	600	4000	260	9574	10638	11968		
	MM120SL.60.45	M120S/5/45LAL	€ 2.937,00	PAIR OF LOADING RAMPS 120X600X4500 + ALU.SHEET	120	600	4500	292	7979	8704	9574		
	MM120SL.60.50	M120S/5/50LAL	€ 3.238,00	PAIR OF LOADING RAMPS 120X600X5000 + ALU.SHEET	120	600	5000	323	6839	7365	7979		
	MM120SL.60.55	M120S/5/55LAL	€ 3.554,00	PAIR OF LOADING RAMPS 120X600X5500 + ALU.SHEET	120	600	5500	355	5984	6383	6839		
	MM120SL.72.20	M120S/6/20LAL	€ 1.865,00	PAIR OF LOADING RAMPS 120X720X2000 + ALU.SHEET	120	720	2000	162	26300	26300	26300		
	MM120SL.72.25	M120S/6/25LAL	€ 2.191,00	PAIR OF LOADING RAMPS 120X720X2500 + ALU.SHEET	120	720	2500	200	26300	26300	26300		
	MM120SL.72.30	M120S/6/30LAL	€ 2.538,00	PAIR OF LOADING RAMPS 120X720X3000 + ALU.SHEET	120	720	3000	237	19149	22979	26300		
	MM120SL.72.35	M120S/6/35LAL	€ 2.884,00	PAIR OF LOADING RAMPS 120X720X3500 + ALU.SHEET	120	720	3500	275	14362	16414	19149		
	MM120SL.72.40	M120S/6/40LAL	€ 3.184,00	PAIR OF LOADING RAMPS 120X720X4000 + ALU.SHEET	120	720	4000	312	11489	12766	14362		
	MM120SL.72.45	M120S/6/45LAL	€ 3.469,00	PAIR OF LOADING RAMPS 120X720X4500 + ALU.SHEET	120	720	4500	350	9574	10445	11489		
	MM120SL.72.50	M120S/6/50LAL	€ 3.753,00	PAIR OF LOADING RAMPS 120X720X5000 + ALU.SHEET	120	720	5000	388	8207	8838	9574		
	MM120SL.72.55	M120S/6/55LAL	€ 4.100,00	PAIR OF LOADING RAMPS 120X720X5500 + ALU.SHEET	120	720	5500	426	7181	7659	8207		




LOADING RAMPS WITH VULCANISED RUBBER COVERING M120S-R

- WITHOUT EDGES
- STANDARD HEAD: L
- HEAD TYPES ON REQUEST:
- G with hook · A with support · T with tube

- STANDARD ANCHORING SYSTEMS: CARABINER CLIP WITH STEEL CHAIN
- ANCHORING SYSTEMS ON REQUEST: STEEL PIN
- HANDLING SYSTEMS ON REQUEST: NYLON HANDLES

ARTICLE WITH EDGES	ARTICLE WITHOUT EDGES	MODEL	PRICE PER PAIR- NET	DESCRIPTION	HEIGHT OF RAMP PROFILE mm	EXTERNA L WIDTH mm	LENGTH mm	WEIGHT/ PAIR kg	CAPACITY PAIR kg	CAPACITY PAIR kg	CAPACITY PAIR kg		
									WHEELBASE 1500 mm	WHEELBASE 1750 mm	WHEELBASE 2000 mm		Cat. pg.42
	MM121SL.36.20	M120S/3/20LR	€ 1.148,00	PAIR OF LOADING RAMPS 120X360X2000 + RUBBER	120	360	2000	98	13200	13200	13200		
	MM121SL.36.25	M120S/3/25LR	€ 1.311,00	PAIR OF LOADING RAMPS 120X360X2500 + RUBBER	120	360	2500	122	13200	13200	13200		
	MM121SL.36.30	M120S/3/30LR	€ 1.474,00	PAIR OF LOADING RAMPS 120X360X3000 + RUBBER	120	360	3000	146	9574	11489	13200		
	MM121SL.36.35	M120S/3/35LR	€ 1.719,00	PAIR OF LOADING RAMPS 120X360X3500 + RUBBER	120	360	3500	169	7181	8207	9574		
	MM121SL.36.40	M120S/3/40LR	€ 1.958,00	PAIR OF LOADING RAMPS 120X360X4000 + RUBBER	120	360	4000	193	5744	6383	7181		
	MM121SL.36.45	M120S/3/45LR	€ 2.204,00	PAIR OF LOADING RAMPS 120X360X4500 + RUBBER	120	360	4500	217	4787	5222	5744		
	MM121SL.36.50	M120S/3/50LR	€ 2.449,00	PAIR OF LOADING RAMPS 120X360X5000 + RUBBER	120	360	5000	240	4103	4419	4787		
	MM121SL.36.55	M120S/3/55LR	€ 2.694,00	PAIR OF LOADING RAMPS 120X360X5500 + RUBBER	120	360	5500	264	3590	3829	4103		
	MM121SL.48.20	M120S/4/20LR	€ 1.385,00	PAIR OF LOADING RAMPS 120X480X2000 + RUBBER	120	480	2000	131	17500	17500	17500		
	MM121SL.48.25	M120S/4/25LR	€ 1.606,00	PAIR OF LOADING RAMPS 120X480X2500 + RUBBER	120	480	2500	162	17500	17500	17500		
	MM121SL.48.30	M120S/4/30LR	€ 1.822,00	PAIR OF LOADING RAMPS 120X480X3000 + RUBBER	120	480	3000	194	12766	15319	17500		
	MM121SL.48.35	M120S/4/35LR	€ 2.119,00	PAIR OF LOADING RAMPS 120X480X3500 + RUBBER	120	480	3500	226	9574	10942	12766		
	MM121SL.48.40	M120S/4/40LR	€ 2.417,00	PAIR OF LOADING RAMPS 120X480X4000 + RUBBER	120	480	4000	257	7659	8511	9574		
	MM121SL.48.45	M120S/4/45LR	€ 2.714,00	PAIR OF LOADING RAMPS 120X480X4500 + RUBBER	120	480	4500	289	6383	6963	7659		
	MM121SL.48.50	M120S/4/50LR	€ 3.012,00	PAIR OF LOADING RAMPS 120X480X5000 + RUBBER	120	480	5000	320	5471	5892	6383		
	MM121SL.48.55	M120S/4/55LR	€ 3.342,00	PAIR OF LOADING RAMPS 120X480X5500 + RUBBER	120	480	5500	352	4787	5106	5471		
	MM121SL.60.20	M120S/5/20LR	€ 1.628,00	PAIR OF LOADING RAMPS 120X600X2000 + RUBBER	120	600	2000	163	21700	21700	21700		Cat. pg.43
	MM121SL.60.25	M120S/5/25LR	€ 1.896,00	PAIR OF LOADING RAMPS 120X600X2500 + RUBBER	120	600	2500	203	21700	21700	21700		
	MM121SL.60.30	M120S/5/30LR	€ 2.169,00	PAIR OF LOADING RAMPS 120X600X3000 + RUBBER	120	600	3000	243	15958	19149	21700		
	MM121SL.60.35	M120S/5/35LR	€ 2.519,00	PAIR OF LOADING RAMPS 120X600X3500 + RUBBER	120	600	3500	282	11968	13678	15958		
	MM121SL.60.40	M120S/5/40LR	€ 2.875,00	PAIR OF LOADING RAMPS 120X600X4000 + RUBBER	120	600	4000	321	9574	10638	11968		
	MM121SL.60.45	M120S/5/45LR	€ 3.225,00	PAIR OF LOADING RAMPS 120X600X4500 + RUBBER	120	600	4500	361	7979	8704	9574		
	MM121SL.60.50	M120S/5/50LR	€ 3.581,00	PAIR OF LOADING RAMPS 120X600X5000 + RUBBER	120	600	5000	400	6839	7365	7979		
	MM121SL.60.55	M120S/5/55LR	€ 3.931,00	PAIR OF LOADING RAMPS 120X600X5500 + RUBBER	120	600	5500	440	5984	6383	6839		
	MM121SL.72.20	M120S/6/20LR	€ 1.865,00	PAIR OF LOADING RAMPS 120X720X2000 + RUBBER	120	720	2000	196	26300	26300	26300		
	MM121SL.72.25	M120S/6/25LR	€ 2.191,00	PAIR OF LOADING RAMPS 120X720X2500 + RUBBER	120	720	2500	244	26300	26300	26300		
	MM121SL.72.30	M120S/6/30LR	€ 2.517,00	PAIR OF LOADING RAMPS 120X720X3000 + RUBBER	120	720	3000	291	19149	22979	26300		
	MM121SL.72.35	M120S/6/35LR	€ 2.925,00	PAIR OF LOADING RAMPS 120X720X3500 + RUBBER	120	720	3500	339	14362	16414	19149		
	MM121SL.72.40	M120S/6/40LR	€ 3.328,00	PAIR OF LOADING RAMPS 120X720X4000 + RUBBER	120	720	4000	385	11489	12766	14362		
	MM121SL.72.45	M120S/6/45LR	€ 3.736,00	PAIR OF LOADING RAMPS 120X720X4500 + RUBBER	120	720	4500	433	9574	10445	11489		
	MM121SL.72.50	M120S/6/50LR	€ 4.144,00	PAIR OF LOADING RAMPS 120X720X5000 + RUBBER	120	720	5000	480	8207	8838	9574		
	MM121SL.72.55	M120S/6/55LR	€ 4.552,00	PAIR OF LOADING RAMPS 120X720X5500 + RUBBER	120	720	5500	528	7181	7659	8207		



LOADING RAMPS STANDARD MILLING**STEP 50/50 M105F**

• WITHOUT EDGES

• STANDARD HEAD: L

• HEAD TYPES ON REQUEST:



• G with hook · A with support · T with tube

• STANDARD ANCHORING SYSTEMS: CARABINER CLIP WITH STEEL CHAIN

• ANCHORING SYSTEMS ON REQUEST: STEEL PIN

• HANDLING SYSTEMS ON REQUEST: NYLON HANDLES

ARTICLE WITH EDGES	ARTICLE WITHOUT EDGES	MODEL	PRICE PER PAIR - NET	DESCRIPTION	HEIGHT OF RAMP PROFILE mm	EXTERNA L WIDTH mm	LENGTH mm	WEIGHT/ PAIR kg	CAPACITY PAIR kg	CAPACITY PAIR kg	CAPACITY PAIR kg		
									WHEELBASE 1000 mm	WHEELBASE 1500 mm	WHEELBASE 2000 mm		Cat. pg.44
	MM105SL.39.10	M105F/390/1000	€ 768,00	PAIR OF LOADING RAMPS 105X390X1000 STD.MILLING	105	390	1000	41	21500	21500	21500		
	MM105SL.39.15	M105F/390/1500	€ 978,00	PAIR OF LOADING RAMPS 105X390X1500 STD.MILLING	105	390	1500	57	21500	21500	21500		
	MM105SL.39.20	M105F/390/2000	€ 1.111,00	PAIR OF LOADING RAMPS 105X390X2000 STD.MILLING	105	390	2000	73	13720	21500	21500		
	MM105SL.39.25	M105F/390/2500	€ 1.285,00	PAIR OF LOADING RAMPS 105X390X2500 STD.MILLING	105	390	2500	89	9145	13720	18000		
	MM105SL.39.30	M105F/390/3000	€ 1.454,00	PAIR OF LOADING RAMPS 105X390X3000 STD.MILLING	105	390	3000	105	6860	9145	13720		
	MM105SL.39.35	M105F/390/3500	€ 1.731,00	PAIR OF LOADING RAMPS 105X390X3500 STD.MILLING	105	390	3500	121	5485	6860	9145		
	MM105SL.39.40	M105F/390/4000	€ 1.859,00	PAIR OF LOADING RAMPS 105X390X4000 STD.MILLING	105	390	4000	137	4575	5485	6860		
	MM105SL.39.45	M105F/390/4500	€ 1.992,00	PAIR OF LOADING RAMPS 105X390X4500 STD.MILLING	105	390	4500	153	3920	4575	5485		
	MM105SL.39.50	M105F/390/5000	€ 2.145,00	PAIR OF LOADING RAMPS 105X390X5000 STD.MILLING	105	390	5000	168	3430	3920	4575		
													Cat. pg.45
	MM105SL.52.10	M105F/520/1000	€ 1.041,00	PAIR OF LOADING RAMPS 105X520X1000 STD.MILLING	105	520	1000	55	29000	29000	29000		
	MM105SL.52.15	M105F/520/1500	€ 1.215,00	PAIR OF LOADING RAMPS 105X520X1500 STD.MILLING	105	520	1500	76	29000	29000	29000		
	MM105SL.52.20	M105F/520/2000	€ 1.394,00	PAIR OF LOADING RAMPS 105X520X2000 STD.MILLING	105	520	2000	98	18290	29000	29000		
	MM105SL.52.25	M105F/520/2500	€ 1.609,00	PAIR OF LOADING RAMPS 105X520X2500 STD.MILLING	105	520	2500	119	12195	18290	22000		
	MM105SL.52.30	M105F/520/3000	€ 1.824,00	PAIR OF LOADING RAMPS 105X520X3000 STD.MILLING	105	520	3000	140	9145	12195	18290		
	MM105SL.52.35	M105F/520/3500	€ 2.039,00	PAIR OF LOADING RAMPS 105X520X3500 STD.MILLING	105	520	3500	161	7315	9145	12195		
	MM105SL.52.40	M105F/520/4000	€ 2.254,00	PAIR OF LOADING RAMPS 105X520X4000 STD.MILLING	105	520	4000	183	6095	7315	9145		
	MM105SL.52.45	M105F/520/4500	€ 2.469,00	PAIR OF LOADING RAMPS 105X520X4500 STD.MILLING	105	520	4500	204	5225	6095	7315		
	MM105SL.52.50	M105F/520/5000	€ 2.684,00	PAIR OF LOADING RAMPS 105X520X5000 STD.MILLING	105	520	5000	225	4575	5225	6095		

**LOADING RAMPS THICKER MILLING****STEP 25/30 M105F**

• WITHOUT EDGES

• STANDARD HEAD: L

• HEAD TYPES ON REQUEST:



• G with hook · A with support · T with tube

• STANDARD ANCHORING SYSTEMS: CARABINER CLIP WITH STEEL CHAIN

• ANCHORING SYSTEMS ON REQUEST: STEEL PIN

• HANDLING SYSTEMS ON REQUEST: NYLON HANDLES

ARTICLE WITH EDGES	ARTICLE WITHOUT EDGES	MODEL	PRICE PER PAIR - NET	DESCRIPTION	HEIGHT OF RAMP PROFILE mm	EXTERNA L WIDTH mm	LENGTH mm	WEIGHT/ PAIR kg	CAPACITY PAIR kg	CAPACITY PAIR kg	CAPACITY PAIR kg		
									WHEELBASE 1000 mm	WHEELBASE 1500 mm	WHEELBASE 2000 mm		Cat. pg.44
	MM106SL.39.10	M105F/390/1000	€ 802,00	PAIR OF LOADING RAMPS 105X390X1000 THICKER MILLING	105	390	1000	41	21500	21500	21500		
	MM106SL.39.15	M105F/390/1500	€ 1.029,00	PAIR OF LOADING RAMPS 105X390X1500 THICKER MILLING	105	390	1500	57	21500	21500	21500		
	MM106SL.39.20	M105F/390/2000	€ 1.179,00	PAIR OF LOADING RAMPS 105X390X2000 THICKER MILLING	105	390	2000	73	13720	21500	21500		
	MM106SL.39.25	M105F/390/2500	€ 1.371,00	PAIR OF LOADING RAMPS 105X390X2500 THICKER MILLING	105	390	2500	89	9145	13720	18000		
	MM106SL.39.30	M105F/390/3000	€ 1.557,00	PAIR OF LOADING RAMPS 105X390X3000 THICKER MILLING	105	390	3000	105	6860	9145	13720		
	MM106SL.39.35	M105F/390/3500	€ 1.851,00	PAIR OF LOADING RAMPS 105X390X3500 THICKER MILLING	105	390	3500	121	5485	6860	9145		
	MM106SL.39.40	M105F/390/4000	€ 1.995,00	PAIR OF LOADING RAMPS 105X390X4000 THICKER MILLING	105	390	4000	137	4575	5485	6860		
	MM106SL.39.45	M105F/390/4500	€ 2.146,00	PAIR OF LOADING RAMPS 105X390X4500 THICKER MILLING	105	390	4500	153	3920	4575	5485		
	MM106SL.39.50	M105F/390/5000	€ 2.317,00	PAIR OF LOADING RAMPS 105X390X5000 THICKER MILLING	105	390	5000	168	3430	3920	4575		
													Cat. pg.45
	MM106SL.52.10	M105F/520/1000	€ 1.087,00	PAIR OF LOADING RAMPS 105X520X1000 THICKER MILLING	105	520	1000	55	29000	29000	29000		
	MM106SL.52.15	M105F/520/1500	€ 1.283,00	PAIR OF LOADING RAMPS 105X520X1500 THICKER MILLING	105	520	1500	76	29000	29000	29000		
	MM106SL.52.20	M105F/520/2000	€ 1.486,00	PAIR OF LOADING RAMPS 105X520X2000 THICKER MILLING	105	520	2000	98	18290	29000	29000		
	MM106SL.52.25	M105F/520/2500	€ 1.723,00	PAIR OF LOADING RAMPS 105X520X2500 THICKER MILLING	105	520	2500	119	12195	18290	22000		
	MM106SL.52.30	M105F/520/3000	€ 1.961,00	PAIR OF LOADING RAMPS 105X520X3000 THICKER MILLING	105	520	3000	140	9145	12195	18290		
	MM106SL.52.35	M105F/520/3500	€ 2.199,00	PAIR OF LOADING RAMPS 105X520X3500 THICKER MILLING	105	520	3500	161	7315	9145	12195		
	MM106SL.52.40	M105F/520/4000	€ 2.437,00	PAIR OF LOADING RAMPS 105X520X4000 THICKER MILLING	105	520	4000	183	6095	7315	9145		
	MM106SL.52.45	M105F/520/4500	€ 2.675,00	PAIR OF LOADING RAMPS 105X520X4500 THICKER MILLING	105	520	4500	204	5225	6095	7315		
	MM106SL.52.50	M105F/520/5000	€ 2.912,00	PAIR OF LOADING RAMPS 105X520X5000 THICKER MILLING	105	520	5000	225	4575	5225	6095		



LOADING RAMPS STANDARD MILLING**STEP 50/50 M120F**

• WITHOUT EDGES

• STANDARD HEAD: L

• HEAD TYPES ON REQUEST:


- G with hook - A with support - T with tube

• STANDARD ANCHORING SYSTEMS: CARABINER CLIP WITH STEEL CHAIN

• ANCHORING SYSTEMS ON REQUEST: STEEL PIN

• HANDLING SYSTEMS ON REQUEST: NYLON HANDLES

ARTICLE WITH EDGES	ARTICLE WITHOUT EDGES	MODEL	PRICE PER PAIR - NET	DESCRIPTION	HEIGHT OF RAMP PROFILE mm	EXTERNA L WIDTH mm	LENGTH mm	WEIGHT/ PAIR kg	CAPACITY PAIR kg	CAPACITY PAIR kg	CAPACITY PAIR kg		
	MM122SL.39.10	M120F/390/1000	€ 663,00	PAIR OF LOADING RAMPS 120X390X1000 STD.MILLING	120	390	1000	39	21500	21500	21500		Cat. pg.46
	MM122SL.39.15	M120F/390/1500	€ 808,00	PAIR OF LOADING RAMPS 120X390X1500 STD.MILLING	120	390	1500	52	21500	21500	21500		
	MM122SL.39.20	M120F/390/2000	€ 937,00	PAIR OF LOADING RAMPS 120X390X2000 STD.MILLING	120	390	2000	67	13410	21500	21500		
	MM122SL.39.25	M120F/390/2500	€ 1.081,00	PAIR OF LOADING RAMPS 120X390X2500 STD.MILLING	120	390	2500	81	8940	13410	18000		
	MM122SL.39.30	M120F/390/3000	€ 1.226,00	PAIR OF LOADING RAMPS 120X390X3000 STD.MILLING	120	390	3000	94	6705	8940	13410		
	MM122SL.39.35	M120F/390/3500	€ 1.370,00	PAIR OF LOADING RAMPS 120X390X3500 STD.MILLING	120	390	3500	107	5365	6705	8940		
	MM122SL.39.40	M120F/390/4000	€ 1.520,00	PAIR OF LOADING RAMPS 120X390X4000 STD.MILLING	120	390	4000	122	4470	5365	6705		
	MM122SL.39.45	M120F/390/4500	€ 1.665,00	PAIR OF LOADING RAMPS 120X390X4500 STD.MILLING	120	390	4500	136	3830	4470	5365		
	MM122SL.39.50	M120F/390/5000	€ 1.809,00	PAIR OF LOADING RAMPS 120X390X5000 STD.MILLING	120	390	5000	149	3350	3830	4470		
													Cat. pg.47
	MM122SL.45.10	M120F/450/1000	€ 910,00	PAIR OF LOADING RAMPS 120X450X1000 STD.MILLING	120	450	1000	51	29000	29000	29000		
	MM122SL.45.15	M120F/450/1500	€ 1.079,00	PAIR OF LOADING RAMPS 120X450X1500 STD.MILLING	120	450	1500	71	29000	29000	29000		
	MM122SL.45.20	M120F/450/2000	€ 1.330,00	PAIR OF LOADING RAMPS 120X450X2000 STD.MILLING	120	450	2000	91	20115	29000	29000		
	MM122SL.45.25	M120F/450/2500	€ 1.512,00	PAIR OF LOADING RAMPS 120X450X2500 STD.MILLING	120	450	2500	112	13410	20115	22000		
	MM122SL.45.30	M120F/450/3000	€ 1.695,00	PAIR OF LOADING RAMPS 120X450X3000 STD.MILLING	120	450	3000	132	10055	13410	20115		
	MM122SL.45.35	M120F/450/3500	€ 1.877,00	PAIR OF LOADING RAMPS 120X450X3500 STD.MILLING	120	450	3500	152	8045	10055	13410		
	MM122SL.45.40	M120F/450/4000	€ 2.054,00	PAIR OF LOADING RAMPS 120X450X4000 STD.MILLING	120	450	4000	172	6705	8045	10055		
	MM122SL.45.45	M120F/450/4500	€ 2.237,00	PAIR OF LOADING RAMPS 120X450X4500 STD.MILLING	120	450	4500	192	5745	6705	8045		
	MM122SL.45.50	M120F/450/5000	€ 2.447,00	PAIR OF LOADING RAMPS 120X450X5000 STD.MILLING	120	450	5000	212	5030	5745	6705		
				• WITHOUT EDGES									Cat. pg.48
				• HEAD: A with support									
				• HEAD TYPES ON REQUEST:									
				- L - G with hook - T with tube									
	MM122SA.60.10	M120FA/600/1000	€ 1.101,00	PAIR OF LOADING RAMPS 120X600X1000 STD.MILLING	120	600	1000	67	35000	35000	35000		
	MM122SA.60.15	M120FA/600/1500	€ 1.303,00	PAIR OF LOADING RAMPS 120X600X1500 STD.MILLING	120	600	1500	94	35000	35000	35000		
	MM122SA.60.20	M120FA/600/2000	€ 1.607,00	PAIR OF LOADING RAMPS 120X600X2000 STD.MILLING	120	600	2000	120	23000	35000	35000		
	MM122SA.60.25	M120FA/600/2500	€ 1.826,00	PAIR OF LOADING RAMPS 120X600X2500 STD.MILLING	120	600	2500	147	16000	25000	35000		
	MM122SA.60.30	M120FA/600/3000	€ 2.039,00	PAIR OF LOADING RAMPS 120X600X3000 STD.MILLING	120	600	3000	173	11800	15000	23000		
	MM122SA.60.35	M120FA/600/3500	€ 2.258,00	PAIR OF LOADING RAMPS 120X600X3500 STD.MILLING	120	600	3500	200	9800	11700	16300		
	MM122SA.60.40	M120FA/600/4000	€ 2.477,00	PAIR OF LOADING RAMPS 120X600X4000 STD.MILLING	120	600	4000	227	8000	9700	13000		
	MM122SA.60.45	M120FA/600/4500	€ 2.695,00	PAIR OF LOADING RAMPS 120X600X4500 STD.MILLING	120	600	4500	253	6900	8000	9800		
	MM122SA.60.50	M120FA/600/5000	€ 2.948,00	PAIR OF LOADING RAMPS 120X600X5000 STD.MILLING	120	600	5000	280	5900	6800	8200		



- **STANDARD ANCHORING SYSTEMS: CARABINER CLIP WITH STEEL CHAIN**

- **STANDARD HEAD: L**

• **HEAD TYPES ON REQUEST:**

• G with hook • A with support • T with tube

• **ANCHORING SYSTEMS ON REQUEST: STEEL PIN**

• **HANDLING SYSTEMS ON REQUEST: NYLON HANDLES**


LOADING RAMPS STANDARD MILLING

STEP 50/50 M130F

- WITHOUT EDGES
- HEAD: A with support
- HEAD TYPES ON REQUEST:
- L - G with hook - T with tube

- STANDARD ANCHORING SYSTEMS: CARABINER CLIP WITH STEEL CHAIN
- ANCHORING SYSTEMS ON REQUEST: STEEL PIN
- HANDLING SYSTEMS ON REQUEST: NYLON HANDLES

ARTICLE WITH EDGES	ARTICLE WITHOUT EDGES	MODEL	PRICE PER PAIR- NET	DESCRIPTION	HEIGHT OF RAMP PROFILE mm	EXTERNA L WIDTH mm	LENGTH mm	WEIGHT/ PAIR kg	CAPACITY PAIR kg	CAPACITY PAIR kg	CAPACITY PAIR kg		
									WHEELBASE 1000 mm	WHEELBASE 1500 mm	WHEELBASE 2000 mm		Cat. pg.49
	MM130SA.45.10	M130FA/450/1000	€ 976,00	PAIR OF LOADING RAMPS 130X450X1000 STD.MILLING	130	465	1000	64	50000	50000	50000		
	MM130SA.45.15	M130FA/450/1500	€ 1.178,00	PAIR OF LOADING RAMPS 130X450X1500 STD.MILLING	130	465	1500	91	40000	40000	40000		
	MM130SA.45.20	M130FA/450/2000	€ 1.461,00	PAIR OF LOADING RAMPS 130X450X2000 STD.MILLING	130	465	2000	117	27000	40000	40000		
	MM130SA.45.25	M130FA/450/2500	€ 1.677,00	PAIR OF LOADING RAMPS 130X450X2500 STD.MILLING	130	465	2500	144	17000	23000	34000		
	MM130SA.45.30	M130FA/450/3000	€ 1.892,00	PAIR OF LOADING RAMPS 130X450X3000 STD.MILLING	130	465	3000	170	13300	17500	26200		
	MM130SA.45.35	M130FA/450/3500	€ 2.107,00	PAIR OF LOADING RAMPS 130X450X3500 STD.MILLING	130	465	3500	197	10700	13100	18000		
	MM130SA.45.40	M130FA/450/4000	€ 2.323,00	PAIR OF LOADING RAMPS 130X450X4000 STD.MILLING	130	465	4000	224	8800	10300	14000		
	MM130SA.45.45	M130FA/450/4500	€ 2.538,00	PAIR OF LOADING RAMPS 130X450X4500 STD.MILLING	130	465	4500	250	7400	8500	10500		
	MM130SA.45.50	M130FA/450/5000	€ 2.781,00	PAIR OF LOADING RAMPS 130X450X5000 STD.MILLING	130	465	5000	277	6500	7400	8500		
													Cat. pg.50
	MM130SA.60.10	M130FA/600/1000	€ 1.170,00	PAIR OF LOADING RAMPS 130X600X1000 STD.MILLING	130	615	1000	85	58000	58000	58000		
	MM130SA.60.15	M130FA/600/1500	€ 1.434,00	PAIR OF LOADING RAMPS 130X600X1500 STD.MILLING	130	615	1500	121	46500	50000	50000		
	MM130SA.60.20	M130FA/600/2000	€ 1.780,00	PAIR OF LOADING RAMPS 130X600X2000 STD.MILLING	130	615	2000	156	37000	45000	50000		
	MM130SA.60.25	M130FA/600/2500	€ 2.058,00	PAIR OF LOADING RAMPS 130X600X2500 STD.MILLING	130	615	2500	192	27000	34000	48000		
	MM130SA.60.30	M130FA/600/3000	€ 2.336,00	PAIR OF LOADING RAMPS 130X600X3000 STD.MILLING	130	615	3000	227	19500	25000	36000		
	MM130SA.60.35	M130FA/600/3500	€ 2.614,00	PAIR OF LOADING RAMPS 130X600X3500 STD.MILLING	130	615	3500	263	15800	19000	26100		
	MM130SA.60.40	M130FA/600/4000	€ 2.892,00	PAIR OF LOADING RAMPS 130X600X4000 STD.MILLING	130	615	4000	298	13100	15600	19000		
	MM130SA.60.45	M130FA/600/4500	€ 3.170,00	PAIR OF LOADING RAMPS 130X600X4500 STD.MILLING	130	615	4500	334	10000	11000	12000		
	MM130SA.60.50	M130FA/600/5000	€ 3.476,00	PAIR OF LOADING RAMPS 130X600X5000 STD.MILLING	130	615	5000	370	8500	9500	10500		




LOADING RAMPS THICKER MILLING

STEP 25/30 M130F

- WITHOUT EDGES
- HEAD: A with support
- HEAD TYPES ON REQUEST:
- L - G with hook - T with tube

- STANDARD ANCHORING SYSTEMS: CARABINER CLIP WITH STEEL CHAIN
- ANCHORING SYSTEMS ON REQUEST: STEEL PIN
- HANDLING SYSTEMS ON REQUEST: NYLON HANDLES

ARTICLE WITH EDGES	ARTICLE WITHOUT EDGES	MODEL	PRICE PER PAIR- NET	DESCRIPTION	HEIGHT OF RAMP PROFILE mm	EXTERNA L WIDTH mm	LENGTH mm	WEIGHT/ PAIR kg	CAPACITY PAIR kg	CAPACITY PAIR kg	CAPACITY PAIR kg		
									WHEELBASE 1000 mm	WHEELBASE 1500 mm	WHEELBASE 2000 mm		Cat. pg.49
	MM131SA.45.10	M130FA/450/1000	€ 1.010,00	PAIR OF LOADING RAMPS 130X450X1000 THICKER MILLING	130	465	1000	64	50000	50000	50000		
	MM131SA.45.15	M130FA/450/1500	€ 1.229,00	PAIR OF LOADING RAMPS 130X450X1500 THICKER MILLING	130	465	1500	91	40000	40000	40000		
	MM131SA.45.20	M130FA/450/2000	€ 1.530,00	PAIR OF LOADING RAMPS 130X450X2000 THICKER MILLING	130	465	2000	117	27000	40000	40000		
	MM131SA.45.25	M130FA/450/2500	€ 1.762,00	PAIR OF LOADING RAMPS 130X450X2500 THICKER MILLING	130	465	2500	144	17000	23000	34000		
	MM131SA.45.30	M130FA/450/3000	€ 1.995,00	PAIR OF LOADING RAMPS 130X450X3000 THICKER MILLING	130	465	3000	170	13300	17500	26200		
	MM131SA.45.35	M130FA/450/3500	€ 2.227,00	PAIR OF LOADING RAMPS 130X450X3500 THICKER MILLING	130	465	3500	197	10700	13100	18000		
	MM131SA.45.40	M130FA/450/4000	€ 2.460,00	PAIR OF LOADING RAMPS 130X450X4000 THICKER MILLING	130	465	4000	224	8800	10300	14000		
	MM131SA.45.45	M130FA/450/4500	€ 2.692,00	PAIR OF LOADING RAMPS 130X450X4500 THICKER MILLING	130	465	4500	250	7400	8500	10500		
	MM131SA.45.50	M130FA/450/5000	€ 2.952,00	PAIR OF LOADING RAMPS 130X450X5000 THICKER MILLING	130	465	5000	277	6500	7400	8500		
													Cat. pg.50
	MM131SA.60.10	M130FA/600/1000	€ 1.215,00	PAIR OF LOADING RAMPS 130X600X1000 THICKER MILLING	130	615	1000	85	58000	58000	58000		
	MM131SA.60.15	M130FA/600/1500	€ 1.503,00	PAIR OF LOADING RAMPS 130X600X1500 THICKER MILLING	130	615	1500	121	46500	50000	50000		
	MM131SA.60.20	M130FA/600/2000	€ 1.872,00	PAIR OF LOADING RAMPS 130X600X2000 THICKER MILLING	130	615	2000	156	37000	45000	50000		
	MM131SA.60.25	M130FA/600/2500	€ 2.173,00	PAIR OF LOADING RAMPS 130X600X2500 THICKER MILLING	130	615	2500	192	27000	34000	48000		
	MM131SA.60.30	M130FA/600/3000	€ 2.473,00	PAIR OF LOADING RAMPS 130X600X3000 THICKER MILLING	130	615	3000	227	19500	25000	36000		
	MM131SA.60.35	M130FA/600/3500	€ 2.774,00	PAIR OF LOADING RAMPS 130X600X3500 THICKER MILLING	130	615	3500	263	15800	19000	26100		
	MM131SA.60.40	M130FA/600/4000	€ 3.075,00	PAIR OF LOADING RAMPS 130X600X4000 THICKER MILLING	130	615	4000	298	13100	15600	19000		
	MM131SA.60.45	M130FA/600/4500	€ 3.376,00	PAIR OF LOADING RAMPS 130X600X4500 THICKER MILLING	130	615	4500	334	10000	11000	12000		
	MM131SA.60.50	M130FA/600/5000	€ 3.704,00	PAIR OF LOADING RAMPS 130X600X5000 THICKER MILLING	130	615	5000	370	8500	9500	10500		




HEAVY-DUTY WEDGES AND BRIDGES														
M133 • STANDARD WEDGE • SPECIAL WEDGE AND BRIDGE ON REQUEST • Dimensions can be modified according to load requirements.														
ARTICLE WITH EDGES	ARTICLE WITHOUT EDGES		PRICE PER PAIR- NET	DESCRIPTION		HEIGHT OF RAMP PROFILE mm	MAX FRONT HEIGHT mm		EXTERNAL WIDTH mm	LENGTH mm	WEIGHT/ PAIR kg			CAPACITY PAIR kg
														WHEELBASE 2000 mm
	MM133S0.45.25		ON REQUEST	PAIR OF HEAVY-DUTY WEDGES		130	500		450	2500	180			34000
	MM133S0.60.25		ON REQUEST	PAIR OF HEAVY-DUTY WEDGES		130	500		600	2500	240			48000



SUPPORT STANDS M136														
• Dimensions can be modified according to load requirements.														
ARTICLE WITH EDGES	ARTICLE WITHOUT EDGES		PRICE PER PAIR- NET	DESCRIPTION			MAX HEIGHT mm		EXTERNAL WIDTH mm		WEIGHT/ PAIR kg			CAPACITY PAIR kg
	MM136S0.45.06		ON REQUEST	PAIR OF SUPPORT STANDS			610		450		96			37500
	MM136S0.60.06		ON REQUEST	PAIR OF SUPPORT STANDS			610		600		128			50000



**BRIDGE ACCESS RAMPS MBAP**

• Dimensions can be modified according to load requirements.

ARTICLE WITH EDGES	ARTICLE WITHOUT EDGES	MODEL	PRICE PER PIECE- NET	DESCRIPTION	HEIGHT OF RAMP PROFILE mm	EXTERNAL WIDTH mm	LENGTH mm	WEIGHT/ UNIT kg	CAPACITY UNIT kg	CAPACITY UNIT kg	WHEELBASE 1000 mm		
	MM550S0.70.05	MBAP1	€ 120,00	BRIDGE ACCESS RAMP MBAP1	40	700	490	4	150				Cat. pg.70
	MM551S0.95.14	MBAP2	€ 395,00	BRIDGE ACCESS RAMP MBAP2	105	950	1450	19		1000			Cat. pg.54

WEDGE ACCESS RAMPS MBAL

Cat. pg.55

ARTICLE WITH EDGES	ARTICLE WITHOUT EDGES	MODEL	PRICE PER PIECE- NET	DESCRIPTION	HEIGHT OF RAMP PROFILE mm	EXTERNAL WIDTH mm	LENGTH mm	WEIGHT/ UNIT kg	CAPACITY UNIT kg				
	MM540S0.0010	MBAL/1000/500/10	€ 174,00	WEDGE ACCESS RAMP MBAL	10	1000	500	11	300				
	MM540S0.0020	MBAL/1000/500/20	€ 190,00	WEDGE ACCESS RAMP MBAL	20	1000	500	11	300				
	MM540S0.0030	MBAL/1000/500/30	€ 197,00	WEDGE ACCESS RAMP MBAL	30	1000	500	11	300				
	MM540S0.0040	MBAL/1000/500/40	€ 197,00	WEDGE ACCESS RAMP MBAL	40	1000	500	12	300				
	MM540S0.0050	MBAL/1000/500/50	€ 197,00	WEDGE ACCESS RAMP MBAL	50	1000	500	12	300				

**WEDGE ACCESS RAMPS MBAS**

Cat. pg.56

ARTICLE WITH EDGES	ARTICLE WITHOUT EDGES	MODEL	PRICE PER PIECE- NET	DESCRIPTION	HEIGHT OF RAMP PROFILE mm	EXTERNAL WIDTH mm	LENGTH mm	WEIGHT/ UNIT kg	CAPACITY UNIT kg	WHEELBASE 1000 mm			
	MM561S0.0060	MBAS/950/635/60	€ 273,00	WEDGE ACCESS RAMP MBAS H.60	60	950	635	8	1000				
	MM561S0.0065	MBAS/950/635/65	€ 273,00	WEDGE ACCESS RAMP MBAS H.65	65	950	635	8	1000				
	MM561S0.0070	MBAS/950/635/70	€ 273,00	WEDGE ACCESS RAMP MBAS H.70	70	950	635	9	1000				
	MM561S0.0075	MBAS/950/635/75	€ 273,00	WEDGE ACCESS RAMP MBAS H.75	75	950	635	9	1000				
	MM561S0.0080	MBAS/950/635/80	€ 279,00	WEDGE ACCESS RAMP MBAS H.80	80	950	635	9	1000				
	MM561S0.0085	MBAS/950/635/85	€ 279,00	WEDGE ACCESS RAMP MBAS H.85	85	950	635	9	1000				
	MM561S0.0090	MBAS/950/635/90	€ 279,00	WEDGE ACCESS RAMP MBAS H.90	90	950	635	9	1000				
	MM561S0.0095	MBAS/950/635/95	€ 279,00	WEDGE ACCESS RAMP MBAS H.95	95	950	635	9	1000				
	MM561S0.0100	MBAS/950/635/100	€ 279,00	WEDGE ACCESS RAMP MBAS H.100	100	950	635	9	1000				
	MM561S0.0105	MBAS/950/635/105	€ 279,00	WEDGE ACCESS RAMP MBAS H.105	105	950	635	9	1000				
	MM561S0.0110	MBAS/950/835/110	€ 313,00	WEDGE ACCESS RAMP MBAS H.110	110	950	835	12	1000				
	MM561S0.0115	MBAS/950/835/115	€ 313,00	WEDGE ACCESS RAMP MBAS H.115	115	950	835	12	1000				
	MM561S0.0120	MBAS/950/830/120	€ 313,00	WEDGE ACCESS RAMP MBAS H.120	120	950	830	12	1000				
	MM561S0.0125	MBAS/950/830/125	€ 318,00	WEDGE ACCESS RAMP MBAS H.125	125	950	830	12	1000				
	MM561S0.0130	MBAS/950/830/130	€ 318,00	WEDGE ACCESS RAMP MBAS H.130	130	950	830	12	1000				
	MM561S0.0135	MBAS/950/830/135	€ 318,00	WEDGE ACCESS RAMP MBAS H.135	135	950	830	12	1000				
	MM561S0.0140	MBAS/950/1030/140	€ 351,00	WEDGE ACCESS RAMP MBAS H.140	140	950	1030	15	1000				
	MM561S0.0145	MBAS/950/1030/145	€ 357,00	WEDGE ACCESS RAMP MBAS H.145	145	950	1030	16	1000				
	MM561S0.0150	MBAS/950/1030/150	€ 357,00	WEDGE ACCESS RAMP MBAS H.150	150	950	1030	16	1000				
	MM561S0.0155	MBAS/950/1030/155	€ 362,00	WEDGE ACCESS RAMP MBAS H.155	155	950	1030	16	1000				
	MM561S0.0160	MBAS/950/1030/160	€ 362,00	WEDGE ACCESS RAMP MBAS H.160	160	950	1030	16	1000				
	MM561S0.0165	MBAS/950/1030/165	€ 362,00	WEDGE ACCESS RAMP MBAS H.165	165	950	1030	16	1000				
	MM561S0.0170	MBAS/950/1030/170	€ 368,00	WEDGE ACCESS RAMP MBAS H.170	170	950	1030	17	1000				






WEDGE ACCESS RAMPS SHL														Cat. pg.57	
• WITHOUT EDGES															
• STANDARD ANCHORING SYSTEMS: CARABINER CLIP WITH STEEL CHAIN															
ARTICLE WITH EDGES	ARTICLE WITHOUT EDGES	MODEL	PRICE PER PIECE- NET	DESCRIPTION					EXTERNA L WIDTH mm	LENGTH mm	WEIGHT/ UNIT kg	CAPACITY UNIT kg		BEWARE!! MIN-MAX height mm	
												WHEELBASE 1000 mm			
	MM530SL.0100	SHL1/100	€ 869,00	WEDGE ACCESS RAMP SHL1 LOADING H.100_119					2200	1562	57	1000		100 / 119	
	MM530SL.0120	SHL1/120	€ 869,00	WEDGE ACCESS RAMP SHL1 LOADING H.120_139					2200	1562	58	1000		120 / 139	
	MM530SL.0140	SHL1/140	€ 869,00	WEDGE ACCESS RAMP SHL1 LOADING H.140_159					2200	1562	58	1000		140 / 159	
	MM530SL.0160	SHL1/160	€ 869,00	WEDGE ACCESS RAMP SHL1 LOADING H.160_189					2200	1561	58	1000		160 / 189	
	MM530SL.0190	SHL1/190	€ 869,00	WEDGE ACCESS RAMP SHL1 LOADING H.190_219					2200	1561	58	1000		190 / 219	
	MM530SL.0220	SHL1/220	€ 869,00	WEDGE ACCESS RAMP SHL1 LOADING H.220_259					2200	1561	58	1000		220 / 259	
	MM530SL.0260	SHL1/260	€ 869,00	WEDGE ACCESS RAMP SHL1 LOADING H.260_300					2200	1560	58	1000		260 / 300	
	MM520SL.0100	SHL2/100	€ 981,00	WEDGE ACCESS RAMP SHL2 LOADING H.100_119					2200	1562	66	2000		100 / 119	
	MM520SL.0120	SHL2/120	€ 981,00	WEDGE ACCESS RAMP SHL2 LOADING H.120_139					2200	1562	66	2000		120 / 139	
	MM520SL.0140	SHL2/140	€ 981,00	WEDGE ACCESS RAMP SHL2 LOADING H.140_159					2200	1562	66	2000		140 / 159	
	MM520SL.0160	SHL2/160	€ 981,00	WEDGE ACCESS RAMP SHL2 LOADING H.160_189					2200	1561	66	2000		160 / 189	
	MM520SL.0190	SHL2/190	€ 981,00	WEDGE ACCESS RAMP SHL2 LOADING H.190_219					2200	1561	67	2000		190 / 219	
	MM520SL.0220	SHL2/220	€ 981,00	WEDGE ACCESS RAMP SHL2 LOADING H.220_259					2200	1561	67	2000		220 / 259	
	MM520SL.0260	SHL2/260	€ 981,00	WEDGE ACCESS RAMP SHL2 LOADING H.260_300					2200	1560	67	2000		260 / 300	
												WHEELBASE 1500 mm			
	MM510SL.0140	SHL8/140	€ 1.420,00	WEDGE ACCESS RAMP SHL8 LOADING H.140_159					2200	1503	88	8000		140 / 159	
	MM510SL.0160	SHL8/160	€ 1.420,00	WEDGE ACCESS RAMP SHL8 LOADING H.160_179					2200	1503	89	8000		160 / 179	
	MM510SL.0180	SHL8/180	€ 1.420,00	WEDGE ACCESS RAMP SHL8 LOADING H.180_199					2200	1503	89	8000		180 / 199	
	MM510SL.0200	SHL8/200	€ 1.420,00	WEDGE ACCESS RAMP SHL8 LOADING H.200_219					2200	1503	89	8000		200 / 219	
	MM510SL.0220	SHL8/220	€ 1.420,00	WEDGE ACCESS RAMP SHL8 LOADING H.220_239					2200	1503	90	8000		220 / 239	
	MM510SL.0240	SHL8/240	€ 1.420,00	WEDGE ACCESS RAMP SHL8 LOADING H.240_269					2200	1503	90	8000		240 / 269	
	MM510SL.0270	SHL8/270	€ 1.420,00	WEDGE ACCESS RAMP SHL8 LOADING H.270_300					2200	1503	90	8000		270 / 300	

LOADING RAMPS SH														Cat. pg.58	
• WITHOUT EDGES															
• NO ACCESSORIES															
ARTICLE WITH EDGES	ARTICLE WITHOUT EDGES	MODEL	PRICE PER PAIR- NET	DESCRIPTION		HEIGHT OF RAMP PROFILE mm	OVERALL SIDE HEIGHT mm		EXTERNA L WIDTH mm	LENGTH mm	WEIGHT/ PAIR kg	CAPACITY PAIR kg		BEWARE!! MIN-MAX height mm	
	MM500SL.21.05	M040B2/05SHF	€ 124,00	PAIR OF LOADING RAMPS 040X215X500		40	55		215	500	6	1250		120 / 150	
	MM500SL.21.08	M040B2/08SHF	€ 142,00	PAIR OF LOADING RAMPS 040X215X800		40	55		215	800	8	1250		160 / 180	
	MM500SL.31.05	M040B3/05SHF	€ 143,00	PAIR OF LOADING RAMPS 040X315X500		40	55		315	500	8	2000		120 / 150	
	MM500SL.31.08	M040B3/08SHF	€ 172,00	PAIR OF LOADING RAMPS 040X315X800		40	55		315	800	12	2000		160 / 180	
• MINIMUM WIDTH OF THE WHEEL OR TRACK 150 mm															
• MAXIMUM WIDTH OF THE WHEEL OR TRACK 220 mm															
	MM501SL.30.05	M065/05SH	€ 200,00	PAIR OF LOADING RAMPS 065X300X495		65	67		300	495	7	3000		120 / 150	
	MM501SL.30.08	M065/08SH	€ 231,00	PAIR OF LOADING RAMPS 065X300X795		65	67		300	795	10	3000		160 / 180	
• MINIMUM WIDTH OF THE WHEEL OR TRACK 200 mm															
• MAXIMUM WIDTH OF THE WHEEL OR TRACK 430 mm															
	MM501SL.51.10	M140/10SH	€ 362,00	PAIR OF LOADING RAMPS 140X510X1000		140	140		510	1000	29	7500		170 / 210	
	MM501SL.51.12	M150/12SH	€ 425,00	PAIR OF LOADING RAMPS 150X510X1250		150	150		510	1250	38	7500		220 / 260	
	MM501SL.51.15	M150/15SH	€ 472,00	PAIR OF LOADING RAMPS 150X510X1500		150	150		510	1500	44	7500		270 / 310	
	MM501SL.51.17	M150/17SH	€ 628,00	PAIR OF LOADING RAMPS 150X510X1750		150	150		510	1750	50	7500		320 / 360	
	MM501SL.51.20	M160/20SH	€ 723,00	PAIR OF LOADING RAMPS 160X510X2000		160	160		510	2000	60	7500		370 / 400	



WHEEL RISERS MCR

Cat. pg.59




ARTICLE WITH EDGES	ARTICLE WITHOUT EDGES	MODEL	PRICE PER PAIR- NET	DESCRIPTION	HEIGHT WITHOUT SAFETY WHEEL CATCH mm	MAX HEIGHT mm	EXTERNAL WIDTH mm	LENGTH mm	WEIGHT/ PAIR kg	CAPACITY PAIR kg	INCLINED PLANE LENGHT mm	HORIZONTAL PLANE LENGHT mm
• MINIMUM WIDTH OF THE WHEEL OR TRACK 300 mm												
	MM565S0.51.14	MCR/145	€ 636,00	PAIR OF WHEEL RISERS 145X510X1217	145	225	510	1217	34	12000	712	505
	MM565S0.51.19	MCR/190	€ 745,00	PAIR OF WHEEL RISERS 190X510X1514	190	270	510	1514	48	12000	1009	505
	MM565S0.51.26	MCR/260	€ 838,00	PAIR OF WHEEL RISERS 260X510X1500	260	340	510	1500	61	12000	995	505
	MM565S0.51.31	MCR/310	€ 778,00	PAIR OF WHEEL RISERS 310X510X1488	310	390	510	1488	57	12000	983	505

REMOVABLE LOADING BRIDGES**MPL**

Cat. pg.60



ARTICLE WITH EDGES	ARTICLE WITHOUT EDGES	MODEL	PRICE PER PIECE- NET	DESCRIPTION	HEIGHT OF RAMP PROFILE mm	EXTERNAL WIDTH mm	LENGTH mm	WEIGHT/ PAIR kg	CAPACITY PAIR kg	BEWARE!! MIN-MAX height mm
	MM570S0.12.07	MPL0750L	€ 283,00	REMOVABLE LOADING BRIDGE - MPL 1250X750 L	120	1250	750	13	610	0 / 90
	MM570S0.12.10	MPL1000L	€ 310,00	REMOVABLE LOADING BRIDGE - MPL 1250X1000 L	120	1250	1000	17	610	50 / 120
	MM570S0.12.12	MPL1200L	€ 351,00	REMOVABLE LOADING BRIDGE - MPL 1250X1200 L	120	1250	1200	20	610	60 / 150
	MM570S0.12.15	MPL1500L	€ 406,00	REMOVABLE LOADING BRIDGE - MPL 1250X1500 L	120	1250	1500	25	610	80 / 190
	MM570S0.12.18	MPL1800L	€ 440,00	REMOVABLE LOADING BRIDGE - MPL 1250X1800 L	120	1250	1800	30	610	100 / 230
	MM580S0.12.07	MPL0750H	€ 339,00	REMOVABLE LOADING BRIDGE - MPL 1250X750 H	120	1250	750	20	1300	0 / 90
	MM580S0.12.10	MPL1000H	€ 372,00	REMOVABLE LOADING BRIDGE - MPL 1250X1000 H	120	1250	1000	27	1300	50 / 120
	MM580S0.12.12	MPL1200H	€ 461,00	REMOVABLE LOADING BRIDGE - MPL 1250X1200 H	120	1250	1200	33	1300	60 / 150
	MM580S0.12.15	MPL1500H	€ 515,00	REMOVABLE LOADING BRIDGE - MPL 1250X1500 H	120	1250	1500	41	1300	80 / 190
	MM580S0.12.18	MPL1800H	€ 570,00	REMOVABLE LOADING BRIDGE - MPL 1250X1800 H	120	1250	1800	49	1300	100 / 230

**REMOVABLE LOADING BRIDGES****MS030 2TL**

• Other dimensions available on request


Cat. pg.61

ARTICLE WITH EDGES	ARTICLE WITHOUT EDGES	MODEL	PRICE PER PIECE- NET	DESCRIPTION	HEIGHT OF RAMP PROFILE mm	WIDTH min.1250 mm	WIDTH with handles mm	LENGTH mm	WEIGHT/ UNIT kg	CAPACITY UNIT kg	BEWARE!! MIN-MAX height mm
	MM650S0.12.06	MS0302TL/625/1250	€ 335,00	REMOVABLE LOADING BRIDGE - MS0302TL 1262X627	80	1250	1412	627	22	3420	-75 / 75
	MM650S0.12.07	MS0302TL/750/1250	€ 346,00	REMOVABLE LOADING BRIDGE - MS0302TL 1262X752	80	1250	1412	752	24	2895	-90 / 90
	MM650S0.12.08	MS0302TL/875/1250	€ 409,00	REMOVABLE LOADING BRIDGE - MS0302TL 1262X877	80	1250	1412	877	28	2510	-105 / 105
	MM650S0.12.10	MS0302TL/1000/1250	€ 430,00	REMOVABLE LOADING BRIDGE - MS0302TL 1262X1002	80	1250	1412	1002	32	2210	-120 / 120
	MM650S0.15.06	MS0302TL/625/1500	€ 370,00	REMOVABLE LOADING BRIDGE - MS0302TL 1512X627	80	1500	1662	627	26	3420	-75 / 75
	MM650S0.15.07	MS0302TL/750/1500	€ 387,00	REMOVABLE LOADING BRIDGE - MS0302TL 1512X752	80	1500	1662	752	29	2895	-90 / 90
	MM650S0.15.08	MS0302TL/875/1500	€ 450,00	REMOVABLE LOADING BRIDGE - MS0302TL 1512X877	80	1500	1662	877	33	2510	-105 / 105
	MM650S0.15.10	MS0302TL/1000/1500	€ 477,00	REMOVABLE LOADING BRIDGE - MS0302TL 1512X1002	80	1500	1662	1002	38	2210	-120 / 120

REMOVABLE LOADING BRIDGES**MS040 2TL**

• Other dimensions available on request

Cat. pg.62



ARTICLE WITH EDGES	ARTICLE WITHOUT EDGES	MODEL	PRICE PER PIECE- NET	DESCRIPTION	HEIGHT OF RAMP PROFILE mm	WIDTH min.1250 mm	WIDTH with handles mm	LENGTH mm	WEIGHT/ UNIT kg	CAPACITY UNIT kg	BEWARE!! MIN-MAX height mm
	MM750S0.12.06	MS0402TL/625/1250	€ 381,00	REMOVABLE LOADING BRIDGE - MS0402TL 1262X627	90	1250	1412	627	28	5000	-75 / 75
	MM750S0.12.07	MS0402TL/750/1250	€ 414,00	REMOVABLE LOADING BRIDGE - MS0402TL 1262X752	90	1250	1412	752	34	4800	-90 / 90
	MM750S0.12.08	MS0402TL/875/1250	€ 496,00	REMOVABLE LOADING BRIDGE - MS0402TL 1262X752	90	1250	1412	877	39	4550	-105 / 105
	MM750S0.12.10	MS0402TL/1000/1250	€ 518,00	REMOVABLE LOADING BRIDGE - MS0402TL 1262X1002	90	1250	1412	1002	43	4250	-120 / 120
	MM750S0.15.06	MS0402TL/625/1500	€ 422,00	REMOVABLE LOADING BRIDGE - MS0402TL 1512X627	90	1500	1662	627	33	5000	-75 / 75
	MM750S0.15.07	MS0402TL/750/1500	€ 466,00	REMOVABLE LOADING BRIDGE - MS0402TL 1512X752	90	1500	1662	752	41	4800	-90 / 90
	MM750S0.15.08	MS0402TL/875/1500	€ 554,00	REMOVABLE LOADING BRIDGE - MS0402TL 1512X877	90	1500	1662	877	47	4550	-105 / 105
	MM750S0.15.10	MS0402TL/1000/1500	€ 576,00	REMOVABLE LOADING BRIDGE - MS0402TL 1512X1002	90	1500	1662	1002	51	4250	-120 / 120

SLIDING LOADING BRIDGES**MS040G**

• Other dimensions available on request

• The guide rail available on request

Cat. pg.63




ARTICLE WITH EDGES	ARTICLE WITHOUT EDGES	MODEL	PRICE PER PIECE- NET	DESCRIPTION	HEIGHT OF RAMP PROFILE mm	WIDTH min.1250 mm	LENGTH mm	WEIGHT/ UNIT kg	CAPACITY UNIT kg	BEWARE!! MIN-MAX height mm
	MM800S0.12.05	MS040G/535/1250	€ 359,00	SLIDING LOADING BRIDGE - MS040G 1262X535	45	1250	535	24	5000	-55 / 55
	MM800S0.12.06	MS040G/660/1250	€ 387,00	SLIDING LOADING BRIDGE - MS040G 1262X660	45	1250	660	29	5000	-70 / 70
	MM800S0.12.07	MS040G/785/1250	€ 469,00	SLIDING LOADING BRIDGE - MS040G 1262X785	45	1250	785	34	5000	-95 / 95
	MM800S0.12.09	MS040G/910/1250	€ 496,00	SLIDING LOADING BRIDGE - MS040G 1262X910	45	1250	910	39	5000	-110 / 110
	MM800S0.15.05	MS040G/535/1500	€ 400,00	SLIDING LOADING BRIDGE - MS040G 1512X535	45	1500	535	29	5000	-55 / 55
	MM800S0.15.06	MS040G/660/1500	€ 433,00	SLIDING LOADING BRIDGE - MS040G 1512X660	45	1500	660	35	5000	-90 / 90
	MM800S0.15.07	MS040G/785/1500	€ 521,00	SLIDING LOADING BRIDGE - MS040G 1512X785	45	1500	785	41	5000	-95 / 95
	MM800S0.15.09	MS040G/910/1500	€ 554,00	SLIDING LOADING BRIDGE - MS040G 1512X910	45	1500	910	47	5000	-110 / 110
	SU90000.0021		€ 125,00	2,980 MT IN ROUGH, NON-GALVANISED STEEL GUIDE RAIL			2980	33,5		



HINGED TAIL LIFTS MS030 AC													• Other dimensions available on request		Cat. pg.64
ARTICLE WITH EDGES	ARTICLE WITHOUT EDGES	MODEL	PRICE PER PIECE- NET	DESCRIPTION	HEIGHT OF RAMP PROFILE mm			WIDTH min.1250 mm	LENGTH mm	WEIGHT/ UNIT kg	CAPACITY UNIT kg				
	MM600S0.12.05	MS030AC/565	€ 350,00	HINGED TAIL LIFT - STEEL FIXING SYSTEM - MS030AC 1262X565	60			1250	565	19	4170				
	MM600S0.12.06	MS030AC/690	€ 372,00	HINGED TAIL LIFT - STEEL FIXING SYSTEM - MS030AC 1262X690	60			1250	690	21	3420				
	MM600S0.12.08	MS030AC/815	€ 450,00	HINGED TAIL LIFT - STEEL FIXING SYSTEM - MS030AC 1262X815	60			1250	815	25	2890				
	MM600S0.12.09	MS030AC/940	€ 464,00	HINGED TAIL LIFT - STEEL FIXING SYSTEM - MS030AC 1262X940	60			1250	940	27	2510				
	MM600S0.12.10	MS030AC/1065	€ 485,00	HINGED TAIL LIFT - STEEL FIXING SYSTEM - MS030AC 1262X1065	60			1250	1065	30	2210				
	MM600S0.12.11	MS030AC/1190	€ 557,00	HINGED TAIL LIFT - STEEL FIXING SYSTEM - MS030AC 1262X1190	60			1250	1190	34	1980				
	MM600S0.12.13	MS030AC/1315	€ 578,00	HINGED TAIL LIFT - STEEL FIXING SYSTEM - MS030AC 1262X1315	60			1250	1315	36	1790				
	MM600S0.12.15	MS030AC/1565	€ 688,00	HINGED TAIL LIFT - STEEL FIXING SYSTEM - MS030AC 1262X1565	60			1250	1565	42	1300				
	MM600S0.12.16	MS030AC/1690	€ 710,00	HINGED TAIL LIFT - STEEL FIXING SYSTEM - MS030AC 1262X1690	60			1250	1690	45	1100				
	MM600S0.12.18	MS030AC/1815	€ 730,00	HINGED TAIL LIFT - STEEL FIXING SYSTEM - MS030AC 1262X1815	60			1250	1815	48	950				
	MM600S0.12.20	MS030AC/2065	€ 823,00	HINGED TAIL LIFT - STEEL FIXING SYSTEM - MS030AC 1262X2065	60			1250	2065	54	720				


HINGED TAIL LIFTS MS030 AL													• Other dimensions available on request		Cat. pg.65
ARTICLE WITH EDGES	ARTICLE WITHOUT EDGES	MODEL	PRICE PER PIECE- NET	DESCRIPTION	HEIGHT OF RAMP PROFILE mm			WIDTH min.1250 mm	LENGTH mm	WEIGHT/ UNIT kg	CAPACITY UNIT kg				
	MM601S0.12.05	MS030AL/565	€ 350,00	HINGED TAIL LIFT - ALUMINIUM FIXING SYSTEM - MS030AL 1262X565	79			1250	565	19	4170				
	MM601S0.12.06	MS030AL/690	€ 372,00	HINGED TAIL LIFT - ALUMINIUM FIXING SYSTEM - MS030AL 1262X690	79			1250	690	21	3420				
	MM601S0.12.08	MS030AL/815	€ 450,00	HINGED TAIL LIFT - ALUMINIUM FIXING SYSTEM - MS030AL 1262X815	79			1250	815	25	2890				
	MM601S0.12.09	MS030AL/940	€ 464,00	HINGED TAIL LIFT - ALUMINIUM FIXING SYSTEM - MS030AL 1262X940	79			1250	940	27	2510				
	MM601S0.12.10	MS030AL/1065	€ 485,00	HINGED TAIL LIFT - ALUMINIUM FIXING SYSTEM - MS030AL 1262X1065	79			1250	1065	30	2210				
	MM601S0.12.11	MS030AL/1190	€ 557,00	HINGED TAIL LIFT - ALUMINIUM FIXING SYSTEM - MS030AL 1262X1190	79			1250	1190	34	1980				
	MM601S0.12.13	MS030AL/1315	€ 578,00	HINGED TAIL LIFT - ALUMINIUM FIXING SYSTEM - MS030AL 1262X1315	79			1250	1315	36	1790				
	MM601S0.12.15	MS030AL/1565	€ 688,00	HINGED TAIL LIFT - ALUMINIUM FIXING SYSTEM - MS030AL 1262X1565	79			1250	1565	42	1300				
	MM601S0.12.16	MS030AL/1690	€ 710,00	HINGED TAIL LIFT - ALUMINIUM FIXING SYSTEM - MS030AL 1262X1690	79			1250	1690	45	1100				
	MM601S0.12.18	MS030AL/1815	€ 730,00	HINGED TAIL LIFT - ALUMINIUM FIXING SYSTEM - MS030AL 1262X1815	79			1250	1815	48	950				
	MM601S0.12.20	MS030AL/2065	€ 823,00	HINGED TAIL LIFT - ALUMINIUM FIXING SYSTEM - MS030AL 1262X2065	79			1250	2065	54	720				





HINGED TAIL LIFTS MS040 AC													• Other dimensions available on request		Cat. pg.66
ARTICLE WITH EDGES	ARTICLE WITHOUT EDGES	MODEL	PRICE PER PIECE- NET	DESCRIPTION	HEIGHT OF RAMP PROFILE mm			WIDTH min.1250 mm	LENGTH mm	WEIGHT/ UNIT kg	CAPACITY UNIT kg				
	MM700S0.12.05	MS040AC/565	€ 384,00	HINGED TAIL LIFT - STEEL FIXING SYSTEM - MS040AC 1262X565	60			1250	565	23	4800				
	MM700S0.12.06	MS040AC/690	€ 412,00	HINGED TAIL LIFT - STEEL FIXING SYSTEM - MS040AC 1262X690	60			1250	690	27	4550				
	MM700S0.12.08	MS040AC/815	€ 491,00	HINGED TAIL LIFT - STEEL FIXING SYSTEM - MS040AC 1265X815	60			1250	815	31	4250				
	MM700S0.12.09	MS040AC/940	€ 519,00	HINGED TAIL LIFT - STEEL FIXING SYSTEM - MS040AC 1262X940	60			1250	940	35	3950				
	MM700S0.12.10	MS040AC/1065	€ 547,00	HINGED TAIL LIFT - STEEL FIXING SYSTEM - MS040AC 1262X1065	60			1250	1065	39	3700				
	MM700S0.12.11	MS040AC/1190	€ 626,00	HINGED TAIL LIFT - STEEL FIXING SYSTEM - MS040AC 1262X1190	60			1250	1190	43	3450				
	MM700S0.12.13	MS040AC/1315	€ 654,00	HINGED TAIL LIFT - STEEL FIXING SYSTEM - MS040AC 1262X1315	60			1250	1315	47	3150				
	MM700S0.12.15	MS040AC/1565	€ 772,00	HINGED TAIL LIFT - STEEL FIXING SYSTEM - MS040AC 1262X1565	60			1250	1565	55	2700				
	MM700S0.12.16	MS040AC/1690	€ 799,00	HINGED TAIL LIFT - STEEL FIXING SYSTEM - MS040AC 1262X1690	60			1250	1690	59	2400				
	MM700S0.12.18	MS040AC/1815	€ 827,00	HINGED TAIL LIFT - STEEL FIXING SYSTEM - MS040AC 1262X1815	60			1250	1815	63	2100				
	MM700S0.12.20	MS040AC/2065	€ 934,00	HINGED TAIL LIFT - STEEL FIXING SYSTEM - MS040AC 1262X2065	60			1250	2065	71	1600				

HINGED TAIL LIFTS MS040 AL													• Other dimensions available on request		Cat. pg.67
ARTICLE WITH EDGES	ARTICLE WITHOUT EDGES	MODEL	PRICE PER PIECE- NET	DESCRIPTION	HEIGHT OF RAMP PROFILE mm			WIDTH min.1250 mm	LENGTH mm	WEIGHT/ UNIT kg	CAPACITY UNIT kg				
	MM701S0.12.05	MS040AL/565	€ 384,00	HINGED TAIL LIFT - ALUMINIUM FIXING SYSTEM - MS040AL 1262X565	79			1250	565	23	4800				
	MM701S0.12.06	MS040AL/690	€ 412,00	HINGED TAIL LIFT - ALUMINIUM FIXING SYSTEM - MS040AL 1262X690	79			1250	690	27	4550				
	MM701S0.12.08	MS040AL/815	€ 491,00	HINGED TAIL LIFT - ALUMINIUM FIXING SYSTEM - MS040AL 1262X815	79			1250	815	31	4250				
	MM701S0.12.09	MS040AL/940	€ 519,00	HINGED TAIL LIFT - ALUMINIUM FIXING SYSTEM - MS040AL 1262X940	79			1250	940	35	3950				
	MM701S0.12.10	MS040AL/1065	€ 547,00	HINGED TAIL LIFT - ALUMINIUM FIXING SYSTEM - MS040AL 1262X1065	79			1250	1065	39	3700				
	MM701S0.12.11	MS040AL/1190	€ 626,00	HINGED TAIL LIFT - ALUMINIUM FIXING SYSTEM - MS040AL 1262X1190	79			1250	1190	43	3450				
	MM701S0.12.13	MS040AL/1315	€ 654,00	HINGED TAIL LIFT - ALUMINIUM FIXING SYSTEM - MS040AL 1262X1315	79			1250	1315	47	3150				
	MM701S0.12.15	MS040AL/1565	€ 772,00	HINGED TAIL LIFT - ALUMINIUM FIXING SYSTEM - MS040AL 1262X1565	79			1250	1565	55	2700				
	MM701S0.12.16	MS040AL/1690	€ 799,00	HINGED TAIL LIFT - ALUMINIUM FIXING SYSTEM - MS040AL 1262X1690	79			1250	1690	59	2400				
	MM701S0.12.18	MS040AL/1815	€ 827,00	HINGED TAIL LIFT - ALUMINIUM FIXING SYSTEM - MS040AL 1262X1815	79			1250	1815	63	2100				
	MM701S0.12.20	MS040AL/2065	€ 934,00	HINGED TAIL LIFT - ALUMINIUM FIXING SYSTEM - MS040AL 1262X2065	79			1250	2065	71	1600				



PEDESTRIAN RAMPS WITH HANDRAILS MPPI

Cat. pg.74



ARTICLE WITH EDGES	ARTICLE WITHOUT EDGES	MODEL	PRICE PER PIECE- NET	DESCRIPTION	HEIGHT OF RAMP PROFILE mm	INTERNAL WIDTH mm	EXTERNAL WIDTH mm	LENGTH mm	WEIGHT/ UNIT kg	CAPACITY m ² kg			
MM360BL.10.10		MPPI10/10	€ 710,00	PEDESTRIAN RAMP WITH HANDRAILS 200X1120X990	200	1000	1120	990	32	400			
MM360BL.10.14		MPPI14/10	€ 754,00	PEDESTRIAN RAMP WITH HANDRAILS 200X1120X1390	200	1000	1120	1390	41	400			
MM360BL.10.20		MPPI20/10	€ 845,00	PEDESTRIAN RAMP WITH HANDRAILS 200X1120X1990	200	1000	1120	1990	54	400			
MM360BL.10.24		MPPI24/10	€ 1.012,00	PEDESTRIAN RAMP WITH HANDRAILS 200X1120X2390	200	1000	1120	2390	62	400			
MM360BL.10.30		MPPI30/10	€ 1.084,00	PEDESTRIAN RAMP WITH HANDRAILS 200X1120X2990	200	1000	1120	2990	75	400			
MM360BL.10.38		MPPI38/10	€ 1.197,00	PEDESTRIAN RAMP WITH HANDRAILS 200X1120X3790	200	1000	1120	3790	92	400			
MM360BL.10.48		MPPI48/10	€ 1.359,00	PEDESTRIAN RAMP WITH HANDRAILS 200X1120X4790	200	1000	1120	4790	114	400			
MM360BL.10.58		MPPI58/10	€ 1.602,00	PEDESTRIAN RAMP WITH HANDRAILS 200X1120X5790	200	1000	1120	5790	136	400			

VEHICLE ACCESSIBLE RAMPS WITH HANDRAILS MPI

Cat. pg.75



ARTICLE WITH EDGES	ARTICLE WITHOUT EDGES	MODEL	PRICE PER PIECE- NET	DESCRIPTION	HEIGHT OF RAMP PROFILE mm	INTERNAL WIDTH mm	EXTERNAL WIDTH mm	LENGTH mm	WEIGHT/ UNIT kg	CAPACITY UNIT kg	CAPACITY UNIT kg	
										750 mm wide tracked vehicle with 1000 mm wheelbase	900 mm wide wheeled vehicle with 750 mm wheelbase	
MM310BL.10.10		MPI10/10	€ 715,00	VEHICLE ACCESSIBLE RAMP WITH HANDRAILS 200X1120X990	200	1000	1120	990	34	3000	4500	
MM310BL.10.14		MPI14/10	€ 770,00	VEHICLE ACCESSIBLE RAMP WITH HANDRAILS 200X1120X1390	200	1000	1120	1390	44	3000	4500	
MM310BL.10.20		MPI20/10	€ 873,00	VEHICLE ACCESSIBLE RAMP WITH HANDRAILS 200X1120X1990	200	1000	1120	1990	59	3000	4500	
MM310BL.10.24		MPI24/10	€ 927,00	VEHICLE ACCESSIBLE RAMP WITH HANDRAILS 200X1120X2390	200	1000	1120	2390	69	3000	3514	
MM310BL.10.30		MPI30/10	€ 1.071,00	VEHICLE ACCESSIBLE RAMP WITH HANDRAILS 200X1120X2990	200	1000	1120	2990	84	2746	2375	
MM310BL.10.38		MPI38/10	€ 1.263,00	VEHICLE ACCESSIBLE RAMP WITH HANDRAILS 200X1120X3790	200	1000	1120	3790	104	1830	1658	
MM310BL.10.48		MPI48/10	€ 1.405,00	VEHICLE ACCESSIBLE RAMP WITH HANDRAILS 200X1120X4790	200	1000	1120	4790	130	1292	1204	
MM310BL.10.58		MPI58/10	€ 1.712,00	VEHICLE ACCESSIBLE RAMP WITH HANDRAILS 200X1120X5790	200	1000	1120	5790	156	998	945	
MM310BL.12.10		MPI10/12	€ 743,00	VEHICLE ACCESSIBLE RAMP WITH HANDRAILS 200X1370X990	200	1250	1370	990	38	1500	1432	
MM310BL.12.14		MPI14/12	€ 808,00	VEHICLE ACCESSIBLE RAMP WITH HANDRAILS 200X1370X1390	200	1250	1370	1390	49	1500	1432	
MM310BL.12.20		MPI20/12	€ 922,00	VEHICLE ACCESSIBLE RAMP WITH HANDRAILS 200X1370X1990	200	1250	1370	1990	67	1500	1432	
MM310BL.12.24		MPI24/12	€ 982,00	VEHICLE ACCESSIBLE RAMP WITH HANDRAILS 200X1370X2390	200	1250	1370	2390	78	1500	1432	
MM310BL.12.30		MPI30/12	€ 1.137,00	VEHICLE ACCESSIBLE RAMP WITH HANDRAILS 200X1370X2990	200	1250	1370	2990	95	1500	1432	
MM310BL.12.38		MPI38/12	€ 1.345,00	VEHICLE ACCESSIBLE RAMP WITH HANDRAILS 200X1370X3790	200	1250	1370	3790	118	1500	1432	
MM310BL.12.48		MPI48/12	€ 1.504,00	VEHICLE ACCESSIBLE RAMP WITH HANDRAILS 200X1370X4790	200	1250	1370	4790	147	1292	1204	
MM310BL.12.58		MPI58/12	€ 1.832,00	VEHICLE ACCESSIBLE RAMP WITH HANDRAILS 200X1370X5790	200	1250	1370	5790	176	998	945	

WALKWAYS MPP															Cat. pg.76	
ARTICLE WITH EDGES	ARTICLE WITHOUT EDGES	MODEL	PRICE PER PIECE- NET	DESCRIPTION		HEIGHT OF RAMP PROFILE mm	MAX TRENCH WIDTH mm	INTERNAL WIDTH mm	EXTERNAL WIDTH mm	LENGTH mm	WEIGHT/ UNIT kg	CAPACITY m ² kg				
MM350B0.10.12		MPP12/10	€ 606,00	WALKWAY 200X1120X1260		200	600	1000	1120	1260	34	400				
MM350B0.10.16		MPP16/10	€ 655,00	WALKWAY 200X1120X1660		200	1000	1000	1120	1660	43	400				
MM350B0.10.22		MPP22/10	€ 747,00	WALKWAY 200X1120X2260		200	1600	1000	1120	2260	56	400				
MM350B0.10.26		MPP26/10	€ 791,00	WALKWAY 200X1120X2660		200	2000	1000	1120	2660	64	400				
MM350B0.10.32		MPP32/10	€ 923,00	WALKWAY 200X1120X3255		200	2600	1000	1120	3255	77	400				
MM350B0.10.40		MPP40/10	€ 1.099,00	WALKWAY 200X1120X4055		200	3400	1000	1120	4055	94	400				
MM350B0.10.50		MPP50/10	€ 1.255,00	WALKWAY 200X1120X5055		200	4400	1000	1120	5055	115	400				
MM350B0.10.60		MPP60/10	€ 1.493,00	WALKWAY 200X1120X6055		200	5400	1000	1120	6055	136	400				



DRIVEWAYS MP															Cat. pg.77	
ARTICLE WITH EDGES	ARTICLE WITHOUT EDGES	MODEL	PRICE PER PIECE- NET	DESCRIPTION		HEIGHT OF RAMP PROFILE mm	MAX TRENCH WIDTH mm	INTERNAL WIDTH mm	EXTERNAL WIDTH mm	LENGTH mm	WEIGHT/ UNIT kg	CAPACITY UNIT kg	CAPACITY UNIT kg			
												750 mm wide tracked vehicle with 1000 mm wheelbase	900 mm wide wheeled vehicle with 750 mm wheelbase			
MM300B0.10.12		MP12/10	€ 622,00	DRIVEWAY 200X1120X1260		200	600	1000	1120	1260	37	3000	4500			
MM300B0.10.16		MP16/10	€ 677,00	DRIVEWAY 200X1120X1660		200	1000	1000	1120	1660	47	3000	4500			
MM300B0.10.22		MP22/10	€ 780,00	DRIVEWAY 200X1120X2260		200	1600	1000	1120	2260	62	3000	4500			
MM300B0.10.26		MP26/10	€ 834,00	DRIVEWAY 200X1120X2660		200	2000	1000	1120	2660	72	3000	3514			
MM300B0.10.32		MP32/10	€ 978,00	DRIVEWAY 200X1120X3255		200	2600	1000	1120	3255	87	2746	2375			
MM300B0.10.40		MP40/10	€ 1.170,00	DRIVEWAY 200X1120X4055		200	3400	1000	1120	4055	107	1830	1658			
MM300B0.10.50		MP50/10	€ 1.348,00	DRIVEWAY 200X1120X5055		200	4400	1000	1120	5055	132	1292	1204			
MM300B0.10.60		MP60/10	€ 1.608,00	DRIVEWAY 200X1120X6055		200	5400	1000	1120	6055	157	998	945			
MM300B0.12.12		MP12/12	€ 644,00	DRIVEWAY 200X1370X1260		200	600	1250	1370	1260	41	1500	1432			
MM300B0.12.16		MP16/12	€ 704,00	DRIVEWAY 200X1370X1660		200	1000	1250	1370	1660	52	1500	1432			
MM300B0.12.22		MP22/12	€ 823,00	DRIVEWAY 200X1370X2260		200	1600	1250	1370	2260	70	1500	1432			
MM300B0.12.26		MP26/12	€ 884,00	DRIVEWAY 200X1370X2660		200	2000	1250	1370	2660	81	1500	1432			
MM300B0.12.32		MP32/12	€ 1.038,00	DRIVEWAY 200X1370X3255		200	2600	1250	1370	3255	98	1500	1432			
MM300B0.12.40		MP40/12	€ 1.246,00	DRIVEWAY 200X1370X4055		200	3400	1250	1370	4055	121	1500	1432			
MM300B0.12.50		MP50/12	€ 1.461,00	DRIVEWAY 200X1370X5055		200	4400	1250	1370	5055	149	1292	1204			
MM300B0.12.60		MP60/12	€ 1.743,00	DRIVEWAY 200X1370X6055		200	5400	1250	1370	6055	178	998	945			



ACCESSORIES		NET PRICE		
SU90000.0001	ALUMINIUM TAB (for single ramp)	€ 8,00		PRICE PER UNIT: 1 tab
SU90000.0009	ALUMINIUM TABS + BLOCKING CAPS KIT (for a pair of ramps)	€ 17,00		PRICE PER PAIR: 2 tabs + 4 caps
SU90000.0007	CARABINER CLIPS + STEEL CHAINS KIT (for a pair of ramp)	€ 13,00		PRICE PER PAIR: 2 clips + 2 chains
SU90000.0004	STEEL BRACKET (for single ramp)	€ 19,00		PRICE PER UNIT: 1 bracket
SU90000.0002	STEEL BRACKET + ASSEMBLY KIT INCLUDING PLATES, BARS AND SPLIT PINS (for single ramp)	€ 22,00		PRICE PER UNIT: 1 bracket + assembly kit
SU90000.0003	STEEL PIN (for single ramp)	€ 4,00		PRICE PER UNIT: 1 pin
SU90000.0028	HANDRAILS' FASTENING LOCKS FOR GANGWAYS	€ 56,00		PRICE PER KIT: 2 locks right side + 2 locks left side
SU90000.0019	GUIDE RAIL FOR LOADING BRIDGES MST040G, LENGTH 3000 MM	SEE SPECIFIC SECTION: "SLIDING LOADING BRIDGES MS040G"		

SPECIAL OPTIONS ON REQUEST		NET PRICE	
	NOT ASSEMBLED RUBBER STRIPS + SCREWS	€ 20,00	PRICE PER LINEAR METER
	ASSEMBLED RUBBER STRIPS ON RAMP(S)	€ 30,00	PRICE PER LINEAR METER
	FOLDING OPTION M030 - M040 - M050 IN 215-315 MM WIDTH	€ 132,00	PRICE PER PAIR
	FOLDING OPTION M030 - M040 IN 415-615 MM WIDTH	€ 261,00	PRICE PER PAIR
	BAYONET COUPLING M050	€ 80,00	PRICE PER PAIR
	NYLON HANDLE FIXED ON RAMP(S) (RECOMMENDED HANDLES ON A PRODUCT: SEE CATALOGUE)	€ 15,00/EACH + € 90,00 ASSEMBLY	PRICE PER UNIT + ASSEMBLY COST
	STEEL BRACKETS TO BE ASSEMBLED ON SINGLE RAMP OR PAIR OF RAMPS (TO BE CHECKED WITH METALMEC ON WHICH PRODUCT IS THIS POSSIBLE)	€ 22,00/EACH + € 90,00 ASSEMBLY	PRICE PER UNIT + ASSEMBLY COST
	EXTRA PRICE FOR SPECIAL HEAD CONNECTIONS: • HEAD WITH TUBE (T) & HEAD WITH SUPPORT (A) ON RANGES MPCL - M030 - M040 - M055 - M060 - M065 - M074 - M076 - M085 - MPC & MPC I UP TO LENGHT 2600 MM • HEAD (L) ON RANGE M120F/600 - M130F (TO BE CHECKED WITH METALMEC ON WHICH MODEL IS THIS POSSIBLE)	€ 90,00	FIXED PRICE
	EXTRA PRICE FOR EXTRA LONG HEAD CONNECTION T080-350 (TO BE CHECKED WITH METALMEC ON WHICH PRODUCT IS THIS POSSIBLE)	€ 160,00	FIXED PRICE
	EXTRA PRICE FOR REINFORCING BARS (WELDED UNDER THE RAMPS' DRIVING SURFACE)	PRICE ON REQUEST	
	EXTRA PRICE FOR SPECIFIC FOOT END FITTING	PRICE ON REQUEST	